

# ATTACHMENT "O"

## HISTORY OF CAPITAL PUNISHMENT IN OHIO

JULY 31, 1885	FIRST EXECUTION AT OHIO PENITENTIARY;
APRIL 29, 1896	LAST EXECUTION BY HANGING (A TOTAL OF 28 MEN PUT TO DEATH IN THE GALLOWS AT OHIO PENITENTIARY)
1897	GALLOWS REPLACED BY THE ELECTRIC CHAIR
APRIL 21, 1897	FIRST EXECUTION BY ELECTROCUTION (CHARLES JUSTICE, INVENTOR OF THE ELECTRIC CHAIR)
MARCH 15, 1963	LAST EXECUTION IN OHIO (DONALD L. REINBOLT)
1972	OHIO'S DEATH PENALTY DECLARED UNCONSTITUTIONAL
OCTOBER 19, 1981	CAPITAL PUNISHMENT REINSTATED IN OHIO
OCTOBER 1993	LETHAL INJECTION ADMITTED TO LAW AS ALTERNATIVE METHOD OF ELECTROCUTION (ORC 2949.22 & 2949.25)

EXHIBIT

31

## **SOUTHERN OHIO CORRECTIONAL FACILITY EXECUTION PROCESS**

There are currently 146 inmates (74 white; 72 black) on death row in Ohio. Upon exhaustion of all appeals and the issuance of a death warrant from the Ohio Supreme Court, the following execution process shall be initiated:

### **One Week Prior**

- ▶ The inmate chooses method of execution (ie., lethal injection or electrocution).

### **Seventy-Two (72) Hours Prior**

- ▶ Warden designates individuals permitted entry to the death house. Others enter only upon authorization of the Warden.
- ▶ Inmate is transferred, as arranged by SOCF and MANCI Wardens, to SOCF and is placed in the death house where he/she is monitored by at least two staff members.
- ▶ Personal property is inventoried and sealed. State clothing and a state radio is issued, as well as personal smoking and legal materials.
- ▶ The institution chaplain and staff psychologist are available to the inmate throughout the process. The inmate may ask for a minister or other visitor (if on his visit list).
- ▶ Procedures explained to the inmate and information gathered as to:
  - choice of clothing (coveralls shirt/pants);
  - witness requests (3);
  - last meal;
  - disposition of personal property;
  - funeral arrangements;
- ▶ Collect phone calls are permitted to be made by the inmate.

### **Day of Execution**

- ▶ The inmate designates his/her last meal request.
- ▶ The last meal is served six hours prior to execution.
- ▶ If electrocution is the chosen method, the inmate's head and right leg are shaved four hours prior to execution.
- ▶ The inmate is given the opportunity to shower.
- ▶ Approximately fifteen minutes prior to execution, the inmate is moved to the execution, the inmate is moved to the execution chamber and placed in the electric chair or on the injection bed.
- ▶ Witnesses and media representatives are escorted into the witness room.
- ▶ Last statement is made by inmate.
- ▶ Electrocution consists of two phases of voltage for a 120-second duration (approx. 1800 volts, 10 second duration; then, approx. 300 volts, 110 second duration).
- ▶ Lethal injection consists of administering three drugs: sodium pentothal, pavulon and potassium chloride.

STATE OF OHIO DEPARTMENT OF REHABILITATION AND CORRECTION S.O.C.F.		RELATED A.C.A. STANDARDS: N/A
POLICY & PROCEDURES		RELATED ADMINISTRATIVE REGULATIONS: 5120-9-12 & 5120-9-54
		RELATED DR&C POLICY/AUDIT STANDARDS: DR&C: 001-09
SOCF NUMBER: W-05-94	PAGE: 1 OF 10 PAGES	
EFFECTIVE DATE: April 8, 1994	POLICY RESCINDED: _____	
CHAPTER: ADMINISTRATION AND MANAGEMENT	SUBJECT: PRISONER EXECUTION	
REVISION DATE: _____	REVIEW DATE: _____	
POSITION OF REVIEWER: _____	_____	

I. AUTHORITY:

The Ohio Revised Code, 5120.38, delegates to the Managing Officer the authority to manage and direct all inmates, personnel, volunteers, programs and activities connected with the institution.

II. PURPOSE:

To designate staff responsibility and establish uniform guidelines for carrying out a sentence of death.

III. APPLICABILITY:

To all individuals involved in administering a court imposed death sentence.

IV. DEFINITIONS: As used in this policy, the following will apply:

- 1) Execution Team: A team consisting of no less than ten (10) members, designated by the Warden. This team assumes control of the prisoner no more than seventy - two hours and no less than twenty - four hours prior to the scheduled execution and is responsible for the execution and post-execution procedures; to include preparing the equipment and the prisoner.

ATTACHMENT "P"

INITIALS: JK

CHAPTER:	SUBJECT:
ADMINISTRATION AND MANAGEMENT	PRISONER EXECUTION
SDCF NUMBER: <u>W-015-94</u>	PAGE: <u>2</u> OF <u>10</u> PAGES

- 2) Critical Incident Debriefing Team: A group selected by the Warden and the institutional chief psychologist. Executions have the potential for creating stress on the part of all persons involved. A psychological debriefing process is available via institutional clinical staff and others in the department to recognize stressors associated with executions and to work through them with affected staff as follows:
- Worker's own experiences of the execution including reactions and perceptions.
  - Review any negative aspects and feelings.
  - Review any positive aspects and feelings.
  - Relationships - other workers and family.
  - Empathy (sharing) with others.
  - Disengagement from execution experience.
  - Integration of this experience into the professional work role for a positive future contribution to the overall team effort.
- 3) Stay: A suspension or postponement of a legal execution.
- 4) Reprieve: The postponement of an execution or a warrant for such a postponement.
- 5) Brine: Water saturated with salt, used to soak the sponges that will be applied to the condemned prisoner's head and leg at the time of execution to ensure proper contact for the electric current.

#### V. POLICY:

It is the policy of the Ohio Department of Rehabilitation and Corrections (SOUTHERN OHIO CORRECTIONAL FACILITY) to carry out the Death Penalty as directed by the sentencing court and in the method elected by the condemned in accordance with state statutes. Execution shall be effected on a Professional, Humane, Sensitive and Dignified Manner.

INITIALS: JK

CHAPTER: ADMINISTRATION AND MANAGEMENT	SUBJECT: PRISONER EXECUTION
SDCF NUMBER: <u>W-05-94</u>	PAGE: <u>3</u> OF <u>10</u> PAGES

1. The Ohio Revised Code, 2949.22, provides both Electrocution and Lethal Injection as the forms of execution in Ohio. This section provides any person sentenced to Death the option to elect Lethal Injection instead of Electrocution as a form of Execution and limits the period for Electing Lethal Injection to one week prior to date of Execution. It establishes the responsibilities of the Director to designate a Penal Institution where Death Sentences shall be Executed and the Warden of the Institution or Deputy Warden of the Institution in his absence to be prepared to carry out an Execution on the Day designated by the Sentencing Judge or Court in the course of Appellate or Post Conviction proceedings.
  2. The date of the execution will be designated by the courts. The execution will be under the direction of the Warden of the Southern Ohio Correctional Facility. Attendance at the execution will be specified in the Ohio Revised Code, 2949.25.
  3. All Offenders Sentenced to Death By Court of Law will be Transferred to a Reception Center within the Ohio Department of Rehabilitation and Correction for initial processing. Upon Completion of the Reception process the Offender will immediately be Transferred to the designated Institution for either Male or Female Death Row Placements.
  4. ELECTROCUTION: Form of Execution whereby a Current of Electricity of sufficient intensity to cause Death, Passes through the body of a Person Sentenced to Death.
  5. LETHAL INJECTION: The Form of Execution whereby continuous intravenous Injection of a Lethal Drug or a series of Lethal Drugs of a sufficient dosage to cause Death.
  6. The Condemned Inmate will remain on Death Row until Transferred to the Death House at the Southern Ohio Correctional Facility for Execution.
  7. Upon receipt of a Court scheduled Execution, the Office of the Director, and the Wardens of the Institutions Housing the Death Row Inmate and the Southern Ohio Correctional Facility will be Notified.
  8. In the event a Stay of Execution is granted after the Inmate has been Transferred to the Death House, the Condemned Inmate will be returned to Death Row.
- VI. PROCEDURES:
1. Thirty (30) Days Prior to the Scheduled Execution Date:  
The Warden will notify the Director by Memo with copies going to the Regional Director and Chief Counsel, along with the Assistant Director, APA, Scioto County Coroner, OSP (Portsmouth and Jackson).

INITIALS: DX



CHAPTER: ADMINISTRATION AND MANAGEMENT	SUBJECT: PRISONER EXECUTION
SOCF NUMBER: <u>W-05-94</u>	PAGE: <u>4</u> OF <u>10</u> PAGES

2. An increase in traffic and tourist, as well as demonstrations, both for and against the execution, can be expected. When deemed appropriate by the Department and the Ohio State Patrol, the contingency plan for crowd and traffic control will be implemented. The Ohio State Patrol, in conjunction with the Warden, will set aside areas for peaceful demonstrations and pickets. The Ohio State Patrol, in conjunction with SOCF staff, will have responsibility for maintaining security and order in all areas outside of the Institution.
3. A communication system between the Governor's Office and the execution chamber will be established.
  - a. Primary communications will be via a telephone line opened directly to the Governor's Office from the execution chamber. This line will be tested one (1) hour prior to the scheduled execution. Other than testing, this line will remain open.
  - b. Secondary communications will be via Cellular Phone.
  - c. In the event that both the primary and secondary communications are inoperable, the execution will be delayed until communications are established.
4. ONE WEEK PRIOR TO THE SCHEDULED DATE OF EXECUTION. The Warden of the Institution Housing the Death Row Inmate will ensure that the Inmate is provided with a election of manner of Execution Form. A copy of the completed Form indicating either Electrocution or Lethal Injection as the elected form of Execution shall be forwarded to the Warden of the Southern Ohio Correctional Facility.
5. NO MORE THAN 72 HOURS AND NO LESS THAN 24 HOURS PRIOR TO THE SCHEDULED EXECUTION:
  - A. The condemned prisoner will be removed from Death Row and housed in the Death House Wing at the Southern Ohio Correctional Facility. He will be constantly monitored by a member of the Execution Team. A log will be maintained on the condemned prisoner. This log should reflect any activity of the prisoner, i.e., visitors, movement, mood changes, meals served, time showered, etc. A minimum of three (3) team members of the watch team will be present at any time the prisoner is moved from his cell. The staff psychologist will interview the prisoner on a daily basis and submit a written daily report to the Warden. The transporting institution shall bring all inmate files direct to the Warden's office at S.O.C.F.
  - B. The Warden will establish a line of communication with the Legal Staff of the Ohio Department of Rehabilitation and Correction and the Attorney General's Office. Key staff will be apprised of any significant legal changes.

C

INITIALS: JK

<b>CHAPTER:</b>  <b>ADMINISTRATION AND MANAGEMENT</b>	<b>SUBJECT:</b>  <b>PRISONER EXECUTION</b>
<b>SDCF NUMBER:</b> <u>W-05-94</u>	<b>PAGE:</b> <u>5</u> <b>OF</b> <u>10</u> <b>PAGES</b>

6. THE FOLLOWING EVENTS WILL TAKE PLACE UPON ARRIVAL AT THE DEATH HOUSE.

- A. The Warden will notify the institution Execution Task Force.
- B. The institution chaplains will be notified to make daily visits to the condemned prisoner.
- C. The Deputy Warden of Programs will identify Security Personnel to Man Entrances, checkpoints and to assist the Ohio State Patrol.
- D. The condemned Prisoner will be measured for clothing. Clothing will be equipped with velcro fasteners in lieu of metal ( if by Electrocution).
- E. The execution team leader will interview the condemned prisoner and ascertain names of three (3) witnesses he wishes to have at the Execution.
- F. The execution team chief will ensure that the prisoner's property is inventoried in front of the prisoner.
- G. The condemned prisoner will be allowed daily visits with family, friends and private clergy, as approved b the Warden.
- H. The Institution Electrician will thoroughly test all execution equipment. All communication equipment will also be tested. A record will be kept of test results, these test will take place daily until Execution.
- I. Key personnel will be briefed by the Warden.
- J. Medical staff will be identified/briefed by the Warden.
- K. The condemned Prisoner will specify . Writing his/her request for Funeral arrangements. This information shall be conveyed to the Prisoner's Family or others, as appropriate, the Execution Team Leader will be responsible for securing this information.
- L. The condemned Prisoner will specify who is to receive his Personal effects.
- M. The Warden will receive updates from Security Personnel and the Ohio State Patrol on Crowd Control, Demonstrations, Pickets, Etc.
- N. The Chief of Security will brief the Warden on the level of tension/increased anxiety within the Prison Population.
- O. The Warden will relay any out of the ordinary activity to the South regional Director.
- P. The Execution Team will continue to drill/rehearse.

C

INITIALS: DC



CHAPTER: ADMINISTRATION AND MANAGEMENT	SUBJECT: PRISONER EXECUTION
SOCF NUMBER: <u>W-05-94</u>	PAGE: <u>6</u> OF <u>10</u> PAGES

- Q. All electrical equipment, to include emergency power, will be tested by the chief electrician. The test will be documented.
- R. Primary/secondary communication systems will be checked.
- S. The execution team advisor will interview the prisoner to allow for the order of his/her last meal.
- T. The prisoner will be allowed contact visit with a member of his/her family. The visit will be supervised by a member of the execution team.
- U. The names of official witnesses/media witnesses will be supplied to the Warden. Witnesses will be outlined in the Ohio Revised Code (section 2949.25), attendance at execution.

ATTENDANCE AT THE EXECUTION:

- A. The Warden or his Deputy, and such number of Correctional Officers as the Warden thinks necessary.
- B. The Sheriff of the County in which the Prisoner was tried and convicted.
- C. The Director of the Department of Rehabilitation and Correction, or his agent.
- D. Physicians of the Penitentiary.
- E. The Clergyman in attendance upon such Prisoner, and not more than three other persons, to be designated by such Prisoner, who are not confined in any State Institution.
- F. The Director shall authorize at least one representative of a newspaper, at least one representative of a television station, and at least one representative of a radio station to be present at the execution of the sentence ~~under division (A) (7) of this section~~ in accordance *w/ DRC 2949.25 and DRC Execution Media Policy.*

7. WITHIN TWELVE (12) HOURS PRIOR TO THE EXECUTION:

- A. The Scioto County Coroner will prepare the Certificate of Death: Cause " Legal Execution by Electrocution or Lethal Injection ".
- B. The Execution Team Leader confirms and coordinates the arrangements concerning the Disposition of the body of the deceased Prisoner.
- C. A Security Meeting will be held by the Warden.

INITIALS: *DC*

CHAPTER: ADMINISTRATION AND MANAGEMENT	SUBJECT: PRISONER EXECUTION
SOCF NUMBER: <u>W-05-94</u>	PAGE: <u>7</u> OF <u>10</u> PAGES

8. APPROXIMATELY SIX (6) HOURS PRIOR TO THE EXECUTION:

- A. The Execution Team will prepare the Brine and Soak Sponges, if by Electrocution.
- B. The Prisoner is served his/her last meal.
- C. Upon Arrival the Execution chamber will be Restricted to the following:
  - (1) Director and/or his designee(s);
  - (2) Warden;
  - (3) Chief Public Information Officer;
  - (4) Institution Deputy Wardens;
  - (5) Administrative Assistant to the Warden;
  - (6) Chaplain;
  - (7) Chief Electrician;
  - (8) Scioto County Coroner;
  - (9) Chief of Security;
  - (10) Maintenance Superintendent;
  - (11) Other persons as deemed necessary by the Warden.

9. APPROXIMATELY FOUR (4) HOURS PRIOR TO THE EXECUTION:

- A. If by Electrocution the Execution Team Leader will supervise the shaving of the condemned prisoner's head and Right leg.
- B. The Prisoner will then be permitted to take a shower and dress in the appropriate clothing for the Execution.

10. APPROXIMATELY THREE (3) HOURS PRIOR TO THE EXECUTION:

- A. The chief electrician will check all electrical circuits and power.
- B. The primary/secondary communication systems will be checked.
- C. The Warden will inspect/check the execution chamber and witness room.

11. APPROXIMATELY TWO (2) HOURS PRIOR TO THE EXECUTION:

- A. Official witnesses to the execution will report to the Institution. However the victim's witness will report to the Portsmouth Highway Patrol Post for Transportation to the Institution.

INITIALS: JK

CHAPTER:

ADMINISTRATION AND MANAGEMENT

SUBJECT:

PRISONER EXECUTION

SDCF NUMBER: W-05-94PAGE: 8 OF 10 PAGES12. APPROXIMATELY ONE (1) HOUR PRIOR TO THE EXECUTION:

- A. Electrical check and communications check; same as hours three and two.
- B. The medical team will report to the death chamber to stand-by.

13. APPROXIMATELY TEN (10) MINUTES PRIOR TO THE EXECUTION:

- A. Establish phone communication with the Governor's Office. If there has been no stay or reprieve granted, this contact will be maintained until the execution has been carried out.
- B. The Scioto County Coroner will report to the Execution Chamber.

14. THE FOLLOWING WILL OCCUR JUST PRIOR TO THE EXECUTION:

- A. The DR&C Public Information Officer will be responsible for media witnesses from the holding area to the Witness Room. The SDCF Social Service Director will be responsible for escorting witness of the victim. The SDCF Chief of Security will be responsible for escorting all other witnesses.
- B. The Warden and execution team will escort the condemned prisoner to the execution chamber.
- C. The execution team will place the condemned prisoner in the chair or on the Lethal Injection Bed.
- D. If by Electrocution, the Execution Team will secure the back, arm, forearm, lap, chest and ankles. The Electrode will then be attached to the right leg by a member of the Execution Team.
- E. If by Lethal Injection, the condemned Prisoner will be placed on the bed and strapped down. Intravenous Injection Tubes will then be hooked up.

15. EXECUTION:

- A. The Warden will permit the condemned prisoner to make a last statement.

INITIALS: DC

CHAPTER: ADMINISTRATION AND MANAGEMENT	SUBJECT: PRISONER EXECUTION
SDCF NUMBER: <u>W-05-94</u>	PAGE: <u>09</u> OF <u>10</u> PAGES

- B. If by Electrocution, the Execution Team will place the sponges on the Condemned Prisoner's Head, secure the headset and attach the electrode to the headset. The Head Cover will then be placed on the Prisoner's Head.
- C. The Warden will give signal to commence Execution Process.
- D. The designated member of the execution team will then activate the execution cycle, Either by Electrocution or Lethal Injection.
- E. Once the execution cycle is completed, after Five (5) minutes have elapsed, the Scioto County Coroner will examine the body and pronounce the prisoner dead.
- F. The Warden will pronounce the time of death as indicated by the coroner and the witnesses removed.

16. POST-EXECUTION:

- A. The Warden or his designee will notify the Director that the execution has been carried out.
- B. The Scioto County Coroner will sign the death certificate.
- C. The execution team will remove the deceased from the chair, Injection Bed, and place him/her on a gurney.
- D. The body will then be turned over to the Scioto County Coroner for disposition, in accordance with the arrangements made three (3) days prior to execution at the Prisoner's request.
- E. The Warden will sign and return the death warrant to the court, indicating the execution has been carried out.
- F. An ambulance will be cleared through the sally-port by the Chief of Security.

INITIALS:

CHAPTER:

ADMINISTRATION AND MANAGEMENT

SUBJECT:

PRISONER EXECUTION

SDCF NUMBER: W-05-94PAGE: 10 OF 10 PAGESDebriefing:

The Warden will ensure that stress trauma briefings are available for the execution team/staff participants within twenty-four (24) hours following the execution.

Interviews will be accomplished by the "institution critical incident debriefing team" established by the staff psychologist.

  
TERRY J. COLLINS  
WARDEN

DATE: 7/8/94

## OHIO DEPARTMENT OF REHABILITATION AND CORRECTION

## ELECTION OF MANNER OF EXECUTION

Pursuant to ORC 2949.22 (B) (1) any person sentenced to death may elect to be executed by lethal injection instead of by electrocution. The election shall be made no later than one week prior to the scheduled date of execution of the person, in writing and filed with the Department of Rehabilitation and Correction.

If a person sentenced to death does not timely file with the Department a written notice of election to be executed by lethal injection, the person's death sentence shall be executed by electrocution.

Accordingly, as a person sentenced to death under the laws of the State of Ohio, number/name \_\_\_\_\_, and scheduled for execution on \_\_\_\_\_ date of execution, 19\_\_\_\_, you are requested to indicate your election below and return this form to the Warden of the Southern Ohio Correctional Facility by 7 days prior date, 19\_\_\_\_.

☐ LETHAL INJECTION

☐ ELECTROCUTION

Neither a person's timely filing of a written notice of election under ORC #2949.22 (B) (1) nor a person's failure to file or timely file a written notice of election under that division shall affect or waive any right of appeal or postconviction relief that may be available under the laws of this state or the United States relative to the conviction for which the sentence of death was imposed upon the person or relative to the imposition or execution of that sentence of death.

\_\_\_\_\_  
Inmate Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Witness

\_\_\_\_\_  
Date

\_\_\_\_\_  
Witness

\_\_\_\_\_  
Date

DRC2459 (3/94)

ATTACHMENT "Q"

5. 1. R



SENT Nov. 22, 1995 (2:20PM) S. O. C. F. 92 : 1:15PM : REHAB. &amp; CORRECTION

No. 825559 P. 2/4/2/ 3

MR 9-28-92

STATE OF OHIO  
CONTROLLING BOARD  
30 East Broad Street, 34th Floor  
Columbus, Ohio 43225-0411

## GENERAL REQUEST

Agency Request No.  
116-93

Controlling Board No.  
785

Department of Rehabilitation and Correction

Agency Code: DRC

Funding Authority: 127.16(B)

Fund Code: ERF

File No.: HB298

Fiscal Year: 93

The Controlling Board is requested to authorize:

☒ Waiver of competitive bidding  
☐ Contract (purchase or lease) ☐ Release of Capital Funds ☐ Other

The Director of DBM is requested to authorize:

☐ Release of Capital Funds ☐ Establishment of Petty Cash Fund ☐ Increase of Petty Cash Fund

EXPLANATION OF REQUEST: (Use Continuation Sheet if Necessary)

The Department of Rehabilitation and Correction, requests a waiver of competitive bidding for Jay Wiechert Manufacturing of Fort Smith, Arkansas in the amount of \$40,000 for the repair of electrical execution equipment at the Southern Ohio Correctional Facility. Repairs will include a complete control panel with a fused disconnect switch; a high voltage transformer; high voltage cables and body electrodes; a portable test box for checking equipment prior to use; supervision of the SOCF maintenance staff in repair and installation; final inspection of total system; engineering drawing; and test procedure; execution procedure, and chart recorder for voltage and current.

This equipment is approximately 70 years old and replacement parts are rare, if even available. Jay Wiechert Manufacturing comes strongly recommended by the Office of the Attorney General. This company has repaired or has constructed other electrical execution equipment in other states (Alabama, Virginia, Georgia and Texas).

Transfer From/To		APPROPRIATION LINE ITEM NAME	Appropriation Line Item Code	Transferring Amount	Previously Released
From	To				
				Total Amount Requested for Waiver or Release	
Use This Line When Authority for Waiver or Release is Requested		Equipment	201-300	\$40,000	
		<p>September 21, 1992</p> <p>Date of Request</p> <p>Director of Budget and Management</p>			
On the date of		<p>SEP 28 1992</p> <p>In a meeting held on</p> <p>The Controlling Board</p> <p>APPROVED</p> <p>ADVICE REQUEST</p> <p>Director of Controlling Board</p>			

SENT: 22. 1993, 12:20PM S. O. C. F. 92 : 1:16PM : REHAB. &amp; CORRECTION No. 826539 P. 3/40/ 9

STATE OF OHIO  
CONTROLLING BOARD  
80 East Broad Street, 34th Floor  
Columbus, Ohio 43266-0411

## Continuation Sheet

Page No. 2

to be used as a cover sheet of requests to the Board

Agency Name Department of Rehabilitation and Correction	Agency Request No. 116-93
--	------------------------------

## Explanation of Request (Continued)

State Purchasing has determined that given the time frame needed to repair such equipment and the rarity of electrical execution equipment in general that this item is not conducive to competitive bid.

The present electrical execution equipment in its current condition is unsafe for the staff to operate. It is imperative that this equipment function properly, should the time come to use it. Jay Weichert Manufacturing has been identified on CAS to be in compliance with section 3517.13 of the D.R.C.

Approved

Gordon A. Lane 9/23/92  
Gordon A. Lane, Chief of Budgets DATE

David H. Blackburn 7/23/92  
David H. Blackburn, Chief, Division of Business Administration DATE

David L. Baker 9/23/92  
David L. Baker, Deputy Director, Administration DATE

STATE OF OHIO  
**PURCHASE ORDER**  
 DDC PAGE: 1 BATCH PAGE: 1

PO No./Date: 183463 / 010593

Batch ID: DRC086295

Control No.: CB0785

Release/Permit No.:

Price/BD/OT:

Express/Date:

Invoice No.:

Optional Entry:

Total Amount: \$38,652.00

Vendor Name: JAY WEICHERT MANUFACTURING

Address: 715 E 18TH ST, FT SMITH AK 72901

Vendor Contact Person/Phone No.: 501 782-5587

Delivery Required (Date/ARC): CONFIRMING

Pre-Approval ID: Unit: Agency: Number:

Terms: NET 30 DAYS

SHIP TO: SAME, LUCASVILLE MINFORD ROAD, LUCASVILLE, OH 45659-8001

FOR: DEATH HOUSE

LN FMT ADRC ACTY TAAN AGY SAC SPRC PRDG GRANT PRJ SUB MR DBJ SUB FY FQ RPT-LOC

DDC # LN PF DESCRIPTION

Item No.	Quantity	Unit	Description and Specifications	Unit Price	Amount
00	1	JOB	1800 54 8000 REPAIR OF ELECTRICAL EXECUTION EQUIPMENT AT THE SOUTHERN OHIO CORRECTIONAL FACILITY. REPAIRS WILL INCLUDE A COMPLETE CONTROL PANEL WITH A FUSED DISCONNECT SWITCH; A HIGH VOLTAGE TRANSFORMER; HIGH VOLTAGE CABLES AND BODY ELECTRODES; A PORTABLE TEST BOX FOR CHECKING EQUIPMENT PRIOR TO USE; SUPERVISION OF THE SDCF MAINTENANCE STAFF IN REPAIR AND INSTALLATION; FINAL INSPECTION OF TOTAL SYSTEM; ENGINEERING DRAWING, AND TEST PROCEDURE, EXECUTION PROCEDURE, AND CHART RECORDER FOR VOLTAGE AND CURRENT.	38652.00	\$38652.00
01	262	01	2182 1848 OPER	67.00	\$17,700.00

We hereby certify that the goods or services specified above are necessary for the use of the above contract for the purchase of:

STEPHEN R. [Signature]

Director of Administration

WE HEREBY CERTIFY THAT THE GOODS OR SERVICES SPECIFIED ABOVE ARE NECESSARY FOR THE USE OF THE ABOVE CONTRACT FOR THE PURCHASE OF:

[Signature]

Director of Institution Head

DISTRIBUTION:  
 WHITE - Vendor  
 GREEN - Agency/DBM  
 YELLOW - Agency  
 PINK - Agency  
 GOLDENROD - Agency

Nov 22 1995 2:21 PM S.O.C.P.

STATE OF OHIO  
PURCHASE ORDER

PO No./Date: 183463 / 010593

BATCH ID: DRC086295 DDC PAGE: 2 BATCH PAGE: 2

Control No.: CB0785

Exp. Date: 12/31/95

Vendor Name and Address: JAY WEICHERT MANUFACTURING  
719 E 10TH  
FT SMITH AK 7290

Vendor Contact Person/Phone No.: 581 782-5587

Delivery Required (Date/ARO): CONFIRMING

Pre-Approval ID: [Blank]

Terms: NET 30 DAYS

SHIP TO: F.O.B. DEST. SAME  
LUCASVILLE MINFORD ROAD  
LUCASVILLE, OH 45699-8801

ALL TO: SOUTHERN OH CORR. FACILITY  
P.O. BOX 45699  
LUCASVILLE, OH 45699-8801

LN	QTY	UNIT	DESCRIPTION AND SPECIFICATIONS	UNIT PRICE	AMOUNT
LN FND ADRC ACTY TRAN AGY			SAC SPRC PROG GRANT FRJ SUB MR DBJ DOC # LN PF DESCRIPTION	SUB FY FD RPCT LOC LINE-AMOUNT	
02	GR	0415	2182 1848	262 A1	05ER 220,922.00

I hereby certify that there is a balance in the appropriation not otherwise obligated to pay, and that the purchase order is to be paid.

The Department of Administrative Services, State Purchasing hereby authorizes use of the above contract for this purchase.

Signature: [Handwritten Signature]  
Date: [Handwritten Date]

Signature: [Handwritten Signature]  
Date: [Handwritten Date]

Director of Office of Budget and Management

Director of State Purchasing

DISTRIBUTION:  
WHITE - Vendor  
GREEN - Agency/DOH  
YELLOW - Agency  
PINK - Agency  
GOLDEN ROD - Agency

Nov. 22. 1995 2:21PM S.O.C.F.

FACSIMILE COVER LETTER  
DMH-05-020

Please deliver the following pages to:

Name		Telephone No.	
JAY WIECHERT MANUFACTURING		601-782-2178	
Location			
Date	Time	Total Number of Pages Including Cover Letter	
9/23/92	11:00 AM PM	7	
From			
DAVID SEE, DEPUTY WARDEN OF OPERATIONS, S.O.C.F. (OHIO)			
Sender's Name		Telephone No.	
TAMI		TELEFAX - [614] 259-2894 VOICE - [614] 259-5544	

☒ "X" here if pages should be picked up immediately by the receiver. Otherwise it will be delivered at a regularly scheduled time before the end of the day.

JAY;

Please be advised the "hard copies" are in the mail.

Thanks,

David See

*mailed to Jay  
9/23/92  
reg mail*





OHIO DEPARTMENT OF REHABILITATION AND CORRECTION  
Reginald A. Wilkinson, DIRECTOR

George V. Volnovich, GOVERNOR  
Mike DeWine, LIEUTENANT GOVERNOR

SOUTHERN OHIO CORRECTIONAL FACILITY

P.O. Box 45699  
Lucasville, Ohio 43699-0001

Arthur Tate, Jr., WARDEN

September 23, 1992

Jay Wiechert Manufacturing  
719 South 10th Street  
Fort Smith, Arkansas 72901

Dear Mr. Jay Wiechert:

Please acknowledge this correspondence as a "Letter of Intent" for the Southern Ohio Correctional Facility to purchase from Jay Wiechert Manufacturing, electrical execution equipment as quoted on the September 18, 1992 facsimile transmittal with the price not to exceed forty thousand dollars (\$40,000.00). We acknowledge exact price will be invoiced at completion of the project.

Jay Wiechert Manufacturing will provide:

- A. Complete control panel with fused disconnect switch.
- B. High voltage transformer.
- C. High voltage cables and body electrodes.
- D. Portable test box for checking equipment prior to use.
- E. Supervision of installation.
- F. Final inspection of total system.
- G. Engineering drawing, test procedure execution procedure.
- H. Chart Recorder for voltage and current.

Pursuant to State of Ohio purchase guidelines, the Southern Ohio Correctional Facility must receive spending authority from the Controlling Board for this out of state purchase. This purchase is scheduled to be heard on the September 28, 1992 Controlling Board Docket.

I have attached copies of the General Requisition which has been submitted to the Controlling Board. Actual purchase orders will be initiated after the Controlling Boards approval is received and then receipt of your invoice.

Sincerely,

Arthur Tate Jr., Warden

AT:tjk

cc: D. Baker, Deputy Director  
Project file  
file

2-6



Nov. 22, 1995 2:22PM S.O.C.F.

**JAY WIECHERT MANUFACTURING**  
 SPECIAL MACHINES • TOOLS • FIXTURES  
 INDUSTRIAL CONTROL SYSTEMS  
 712 SOUTH 10TH  
 FORT SMITH, ARKANSAS 72901

OWNEY 24-1174M1  
 FAX 501-782-2173  
 823 998 5504

JAY WIECHERT, Owner  
 2400 N. 10TH AVE. FORT SMITH, ARK.

Sept 18, 1992

Mr. David See  
 Deputy Warden  
 Depart. of Corrections  
 Lucasville, Ohio 45648

Dear Mr. David See:

Thank you for your inquiry concerning electrical execution equipment. The price will not exceed forty thousand dollars (\$40,000.00). Exact price will be invoiced at completion of project.

We will provide:

- A. Complete control panel with fused disconnect switch.
- B. High voltage transformer.
- C. High voltage cables and body electrodes.
- D. Portable test box for checking equipment prior to use.
- E. Supervision of installation.
- F. Final inspection of total system.
- G. Engineering drawing, test procedure execution procedure.
- H. Chart Recorder for voltage and current.

We will build a temporary system for your execution scheduled 9-29-92 based on your verbal purchase order. Later, we will build a permanent system using components from the temporary system.

Thank you.

Sincerely yours,

*Jay Wiechert*  
 Jay Wiechert

NOV. 22. 1992 2:22PM S. O. C. F.

No. 8225 F. 3/40

DOCUMENT  
TYPE

REQ

ACTION CODE

E - ENTER

M - MODIFY

X - CANCEL

STATE OF OHIO  
GENERAL REQUISITION

DAVID SEE 1-259-4454

AGY CODE	REQ NO	DATE	TOTAL AMOUNT		ADDITIONAL COUPOON SHEETS ATTACHED							
DRC	0418-18	9-18-92	40000.00		<input type="checkbox"/>							
LN #	FUND	SP AC	SAC	RESP CONTR PROG	GRANT	PROJ	SUB PROJ	MRJ	OBJ	SUB OBJ	PUT PER	APT CAT
01	GRF	183A	2182	0418					266	01		CUST
JOB	ACTV	DESCRIPTION					LINE AMOUNT					
		ELECTRICAL EXECUTION EQUIPMENT					+					
LN #	FUND	SP AC	SAC	RESP CONTR PROG	GRANT	PROJ	SUB PROJ	MRJ	OBJ	SUB OBJ	PUT PER	APT CAT
02	GRF	183A	2182	0418					266	A1		CUST
JOB	ACTV	DESCRIPTION					LINE AMOUNT					
		SUPERVISION OF INSTALLATION					+					
BILL TO:						DELIVER TO: IF DIFFERENT FROM BILL TO:						
SOUTHERN OHIO CORRECTIONAL FACILITY						SOUTHERN OHIO CORRECTIONAL FACILITY						
P.O. BOX 45699						LUCASVILLE MINFORD ROAD						
LUCASVILLE, OHIO 45699-0001						LUCASVILLE, OHIO 45699-0001						

ITEM	QUANTITY	UNIT	DESCRIPTION AND SPECIFICATIONS	EST COST
1.	1	JOB	<u>1000-54-0000</u> ELECTRICAL EXECUTION EQUIPMENT AND INSTALLATION. NOT TO EXCEED \$40,000.00. TO INCLUDE THE FOLLOWING:	40,000.00
	1	EA	COMPLETE CONTROL PANEL WITH FUSED DISCONNECT SWITCH	
	1	EA	HIGH VOLTAGE TRANSFORMER	
	1	EA	HIGH VOLTAGE CABLES AND BODY ELECTRODES	
	1	EA	CHART RECORDER FOR VOLTAGE AND CURRENT	
	1	EA	PORTABLE TEST BOX FOR CHECKING EQUIPMENT PRIOR TO USE	
	1	EA	ENGINEERING DRAWING, TEST PROCEDURE, EXECUTION PROCEDURE	
	1	EA	SUPERVISION OF INSTALLATION	

APPROVAL FOR PURCHASE

WE HEREBY CERTIFY THAT THE GOODS AND SERVICES ARE NECESSARY FOR  
OUR USE

STATE PURCHASING

AGENCY HEAD

  
 ARTHUR TATE  
 CHIEF OF INSTITUTION

NOV. 22. 1995 2:22PM S. O. C. F.

No. 82557 NOV. 10/90

STATE OF OHIO  
PURCHASE ORDER/CONTRACT ENCUMBRANCE

## CONTINUATION SHEET

AGENCY  
CODE BA18X18 DRCAEON  
NO 0418-18

UNIT PRICE AMOUNT

DESCRIPTION AND SPECIFICATIONS

QUANTITY

UNIT

1

EA

FINAL INSPECTION OF TOTAL SYSTEM

\*\*EXACT COST WILL BE DETERMINED AND INVOICED AT  
COMPLETION OF PROJECT.SUGGESTED VENDORJAY WIECHERT MANUFACTURING  
719 SOUTH 30TH  
FORT SMITH, ARKANSAS 72901TO BE USED WITH BLS/STY ACCOUNTING SYSTEMS  
FORM TO BE USED WITH ADM CASH/ADM TRM  
PURCHASE ORDERS FORM MAY ALSO BE  
USED WITH ADM TRM/ADM TRM CONTRACT  
ENCUMBRANCES.STATE PURCHASING  
364 S. FOURTH ST.  
COLUMBUS, OHIO  
43266-0001DISTRIBUTION: WHITE  
BLUE  
GREEN  
YELLOW  
PINK  
BOLD/BLACK: AGENCY  
VENDOR  
PROCUREMENT  
PURCHASING  
STATE ACCOUNTING  
AGENCYADM 7-123  
REV 8-96

2-9

Nov. 22. 1955 2:22PM S. D. L. F.  
R&C FORM B-1

No. 8255 P. 11/46

STATE OF OHIO  
DEPARTMENT OF REHABILITATION & CORRECTION  
EQUIPMENT JUSTIFICATION STATEMENT

THE FOLLOWING ITEMS OF EQUIPMENT ARE NECESSARY FOR THE OPERATION OF NEW OR EXISTING PROGRAMS WITHIN OUR INSTITUTION. THE FOLLOWING INFORMATION IS PROVIDED TO JUSTIFY THE PURCHASE:

1. THIS EQUIPMENT IS ~~NEW~~ REPLACEMENT (CROSS OUT ITEM NOT APPLICABLE).
2. IT IS TO BE PURCHASED FROM FUND \_\_\_\_\_ (11,08,09,10,ETC.) GRANT NO. \_\_\_\_\_
3. IF REPLACEMENT, HAVE SALVAGE FORMS BEEN PREPARED NO? IF NOT, WHAT IS TO BE DONE WITH THE OLD EQUIPMENT -  
 It has not been determined, at this time, as to what will be done with the old equipment.

## 4. GENERAL STATEMENT AS TO NEED OF THIS EQUIPMENT:

The present electrical execution equipment is unsafe to staff during operation and is obsolete. Also, electrical component repair parts and technical data are unavailable due the advanced age of the equipment.

5. INSTITUTION OR GRANT NAME: Southern Ohio Corrections Facility INST. # 061  
 INSTITUTION AUTHORIZATION: [Signature]

TITLE: Warden

6. DIV. OF BUS. ADM. AUTHORIZATION: \_\_\_\_\_

DATE: \_\_\_\_\_

2-10

Nov. 22, 1995

2:22PM

S. O. C. F.

No. 6265 P. 12/40



## Authorization for Out of State Purchase

Buy Ohio Central M

TO: Office of the Buy Ohio Coordinator  
364 South Fourth Street  
Columbus, Ohio 43215

FROM:  
SOUTHERN OHIO CORRECTIONAL FACILITY  
P.O. BOX 45699  
LUCASVILLE, OHIO 45699 Date 9-18-9

The attached requisition, purchase order or request is hereby submitted for acquisition from an out-of-state. Under the guidelines of the "Buy Ohio" program, as stipulated in DAS Directive 83-47, the following justification is presented for acquisition from an out-of-state vendor.

Why can't an Ohio product satisfy your requirements?

No qualified Ohio vendor could be found. (See attached letter from  
Suelien Mohr, Assistant Attorney General, State of Ohio)

Ohio vendor acquisition cost(s).

None

Out-of-state vendor acquisition cost.

Acquisition will not exceed \$40,000.00 (forty thousand dollars).

Please attach a complete description of the item.

☐ APPROVED  
☐ DISAPPROVED

Authorized Signature

2-11

Nov. 22. 1995 2:23PM S.O.C.F.

No. 8255 P. 13/40

P.2

SEP 18 '92 12:58 S O C F

## NONCOMPETITIVE BID CONTRACT STATEMENT FOR CALENDAR YEAR 1992

PURSUANT TO ORC 3517.13 (X) and (Y)

For the purposes of this statement, the "Governor" is Governor George V. Voinovich, Governor of the State of Ohio, and the "Governor's Campaign Committees" are the Voinovich for Governor Committee and the Voinovich-Bakula Committee.

On 2921.13 of the Revised Code provides that a statement made with purpose to aid a public official in performing his duties is a misdemeanor of the first degree.

COMPLETE ONLY ONE OF THE SECTIONS, I, II, OR III, depending on which is appropriate, sign, date and return the statement to:

PRINT NAME, ADDRESS, AND TAX ID  
NUMBER OF VENDOR IN SPACE BELOW

Agency Name Southern Ohio Correctional Facility  
Agency address P.O. Box 45499  
Lucasville, Ohio 45699-0001

or Name

or Address

or Social Security NO. 711-454895

## SECTION I. TO BE COMPLETED BY NOT-FOR-PROFIT CORPORATIONS AND GOVERNMENTAL ENTITIES.

You are recognized by the IRS as a not-for-profit corporation or are a governmental entity just mark the appropriate designation below, verify the not name, address and tax ID number above, sign, date and return the statement.

NOT-FOR-PROFIT CORPORATION

GOVERNMENTAL ENTITY

## SECTION II. TO BE COMPLETED BY INDIVIDUALS, SOLE PROPRIETORSHIPS, PARTNERSHIPS, INCORPORATED PROFESSIONAL ASSOCIATIONS, UNINCORPORATED ASSOCIATIONS, PARTNERSHIPS, AND TRUSTS.

The named vendor is a (please mark appropriate designation):

- ☒ SOLE PROPRIETORSHIP OR INDIVIDUAL  
☐ INCORPORATED PROFESSIONAL ASSOCIATION  
☐ UNINCORPORATED ASSOCIATION

- ☐ TRUST  
☐ ESTATE  
☐ PARTNERSHIP

A principal for purposes of Section II includes a sole proprietor, an owner, a partner, shareholder, an administrator, an executor or trustee connected with the aforementioned vendor and their respective spouses.

EASE READ PARAGRAPHS (A) and (B) and mark the appropriate paragraph. If paragraph (B) is checked, a state agency is prohibited by Section 3517.13 of the Revised Code from awarding a non-competitively bid contract over \$500.00 to the named vendor during calendar year 1992.

(A) NO ONE PRINCIPAL of the aforementioned vendor made directly or indirectly contributions to the Governor or either of the Governor's campaign committees between January 1, 1990 and December 31, 1991 that totaled in excess of \$1000.00 per individual. This category includes make contributions to the Governor or either of the Governor's campaign committees.

(B) A PRINCIPAL(S) of the aforementioned vendor made directly or indirectly contributions to the Governor or either of the Governor's campaign committees between January 1, 1990 and December 31, 1991 that totaled in excess of \$1000.00 per individual.

2-12



Nov. 22. 1995 2:23PM S. D. C. F.

No. 8255 F. 14/40

P. 2

SEP 16 '92 10:55 S D C F

FORM III. TO BE COMPLETED BY FOR-PROFIT CORPORATIONS AND BUSINESS TRUSTS.

The aforementioned vendor is a (please mark appropriate designation):

CORPORATION

BUSINESS TRUST

A principal for purposes of Section III includes an individual or other entity owning more than 20% of the corporation or business trust for the entire period between January 1, 1990 and December 31, 1991, and the spouse of such person.

PLEASE READ PARAGRAPHS (A), (B) and (C) and mark the appropriate paragraph. If paragraph (C) is checked, a state agency is prohibited by Section 3517.13 of the Revised Code from awarding a non-competitively bid contract over \$500.00 to the vendor during calendar year 1992.

(A) NO INDIVIDUAL or entity owned more than 20% of the corporation or business trust between January 1, 1990 and December 31, 1991.

(B) NO PRINCIPAL of the aforementioned vendor made directly or indirectly contributions to the Governor or either of the Governor's campaign committees between January 1, 1990 and December 31, 1991 that totaled in excess of \$1000.00 per individual. This category includes zero contributions to the Governor or either of the Governor's campaign committees.

(C) A PRINCIPAL(S) of the aforementioned vendor made directly or indirectly contributions to the Governor or either of the Governor's campaign committees between January 1, 1990 and December 31, 1991 that totaled in excess of \$1000.00 per individual.

I do hereby state that I have legal authority to complete this statement on behalf of the aforementioned vendor and to the best of my knowledge and belief the answers herein are true.

Vendor Name Jay Wiechert MB Social Security No. 710 454 095  
or Federal Tax ID (EIN)  
Signature Jay Wiechert Date 9-18-92  
Print Name Jay Wiechert Print title OWNER & Manager  
Telephone Number 501 782-5587  
(Area Code)

FAX 782-2178

PLEASE RETURN BOTH PAGES TO THE AGENCY NAME LISTED ON PAGE 1

Nov. 22. 1995 2:23PM S. O. C. T.

No. 8225 P. 15/40

STATE OF OHIO  
VENDOR MASTER INPUT DOCUMENT

ORG AGY DR&C	DOCUMENT NO. SCO2436	DATE 9/21/92	VENDOR NO. 716454895	VENDOR TAX NO. 716454895	HB 300 -----
VENDOR NAME JAY WEICHERT MANUFACTURING				VEND TYPE TI	MINORITY VEND -----
LIEN -----	ADDRESS CODE 01		TELEPHONE (661) 782-5587		LOCATION -----
VENDOR STREET ADDRESS					
1. 719 SOUTH 18TH					
2. -----					
CITY, STATE PORT SMITH, ARKANSAS				ZIP 72961	
TERM CONTRACT NUMBER -----		ACTIVATION DATE -----	EXPIRATION DATE -----	BID NUMBER -----	

VEN

☒ E - ENTER  
☐ M - MODIFY  
☐ X - CANCEL
VUE ☐

ORG AGY	DOCUMENT NO.	DATE	VENDOR NO.	VENDOR TAX NO.	HB 300
VENDOR NAME				VEND TYPE	MINORITY VEND
LIEN	ADDRESS CODE		TELEPHONE		LOCATION
VENDOR STREET ADDRESS					
1. -----					
2. -----					
CITY, STATE				ZIP	
TERM CONTRACT NUMBER		ACTIVATION DATE	EXPIRATION DATE	BID NUMBER	

VEN

☐ E - ENTER  
☐ M - MODIFY  
☐ X - CANCEL
VUE ☐

ORG AGY	DOCUMENT NO.	DATE	VENDOR NO.	VENDOR TAX NO.	HB 300
VENDOR NAME				VEND TYPE	MINORITY VEND
LIEN	ADDRESS CODE		TELEPHONE		LOCATION
VENDOR STREET ADDRESS					
1. -----					
2. -----					
CITY, STATE				ZIP	
TERM CONTRACT NUMBER		ACTIVATION DATE	EXPIRATION DATE	BID NUMBER	

VEN

☐ E - ENTER  
☐ M - MODIFY  
☐ X - CANCEL
VUE ☐

614-258-4494 9/21/92  
 REQUESTING AGENCY SIGNATURE *Thom Kitchen* DATE ENTERED DATE  
 White - State Accounting / Clerical Agency (confirming copy) / Pink - Agency (purpose)

No. 8225 P. 16/46

Nov. 22 1995 2:24PM S. O. C. F.

George V. Voinovich  
GOVERNORMike DeWine  
LIEUTENANT GOVERNOR

## OHIO DEPARTMENT OF REHABILITATION AND CORRECTION

Reginald A. Wilkinson, DIRECTOR

1050 Freeway Drive, North  
Columbus, Ohio 43229STRATFORD  
SHIELDS

644-6441

September 10, 1992

TO: Dave Baker, Deputy Director  
Administration

TEROUGE: Reginald A. Wilkinson  
Director

FROM: Philip W. Parker  
South Regional Director

SUBJECT: Renovation of the Electric Chair

RECEIVED  
SEP 19 PM 4 20  
COMMUNICATIONS SECTION

Recently our Department was made aware of an inmate's attempt to stop all appeals of his execution. There is an execution date set; however, our latest information is that he has now changed his mind and filed an appeal. Nevertheless, this situation necessitates that we examine our procedures and equipment for the eventuality of an execution. A multi-agency task force is working diligently to accomplish this task.

It is our best advice and opinion that our present equipment is unsafe and inoperable (see attachments). The Attorney General's Office has done extensive research on this project and has concluded that Mr. Jay Wiechert from Arkansas is the only vendor on record that has the proper credentials to upgrade our electric chair. The only other known vendor has questionable credentials as well as questionable ethics in this matter.

The multi-agency committee which includes representatives from our Central Office, Southern Ohio Correctional Facility, Ohio Highway Patrol, Attorney General's Office and the Governor's Office has concluded that replacement is necessary because of the electrical components deterioration and unreliable condition. Replacement parts are obsolete and cannot be obtained.

For the above reason, we are requesting immediate assistance to begin the process of replacing the electrical components. It is my understanding that the entire project will cost approximately \$30,000 and can be taken from monies set aside for electrical capital projects.

Your assistance in this matter is greatly appreciated.

/dab

cc: Norm Hills, Greg Trout, Art Tate

7-15

Nov. 22, 1995 2:24PM S. O. C. F.

No. 8255 P. 17/42

**JAY WIECHERT MANUFACTURING**  
 SPECIAL MACHINES • TOOLS • FIXTURES  
 INDUSTRIAL CONTROL SYSTEMS  
 710 SOUTH 10TH  
 FORT SMITH, ARKANSAS 72901

OFFICE NO. 707-8007  
 FAX NO. 707-8007  
 OCS 800 2244

JAY WIECHERT, Owner  
 PROFESSIONAL ENGINEER

Sept 1, 1992

Mr. David See  
 Deputy Warden  
 Depart. of Corrections  
 Lucasville, Ohio 43648

Dear Mr. David See:

Thank you for your inquiry concerning electrical execution equipment. The approximate price will be thirty thousand dollars (\$30,000.00). Exact price will depend upon your particular design requirements.

We will provide:

- A. Complete control panel with fused disconnect switch.
- B. High voltage transformer.
- C. High voltage cables and body electrodes.
- D. Portable test box for checking equipment prior to use.
- E. Supervision of installation.
- F. Final inspection of total system.
- G. Engineering drawing, test procedure, execution procedure.

I would be happy to visit your prison, examine your existing equipment, and provide a written proposal. The price for this service will depend on my expenses, but will not exceed one thousand dollars (\$1,000.00).

Thank you.

Sincerely yours,

*Jay Wiechert*  
 Jay Wiechert

S.O.C.F.

'92 SEP 1 PM 3 55

WAREHOUSE

2-16

Nov. 22, 1995 2:24PM S.O.C.I.

No. 8233 P. 18/40

# JESS HOWARD ELECTRIC COMPANY

ENGINEERING & CONTRACTING

P.O. BOX 95 • 6630 TAYLOR RD. • BLACKLICK, OHIO 43004 • PHONE (614) 861-1300  
"MEN - EQUIPMENT - KNOW HOW"

September 9, 1992

Southern Ohio Correctional Facility  
Lucasville-Milford Road  
Lucasville, Ohio 43648

VIA FAX ONLY: 1-259-2896

Attn: Norm McGinnis

Subject: Southern Ohio Correctional Facility  
Inspection & Testing of Electric Chair and Associated  
Electric Equipment

Dear Mr. McGinnis:

After inspection of the referenced equipment I would like to offer the following:

First of all, the equipment is so old and obsolete that no parts or technical data is available from the manufacturers.

The voltage regulator has leaked oil and is below the sight glass which indicates that the tank is deteriorated.

The main transformer, P/T transformer and oil switch shows oil leaks on the bushings and tanks, and the wire is deteriorated.

Even though the system could be tested and possibly operated, because of the age and so many of the operating parts are mechanical, I could not guarantee that it would not malfunction.

It is my opinion that it should be replaced. If you wish to further test and make it operational, we would have to work on a time and material basis.

If you have any questions, please contact my office.

Sincerely,

JESS HOWARD ELECTRIC COMPANY

*Richard J. Eickey*  
Richard J. Eickey  
Vice President  
K&C

PRIMARY  
TRANSFORMERS - SUBSTATIONS  
POLE LINE - CONSTRUCTION

INDUSTRIAL  
MOTORS - COMPENSATORS  
RECTIFIERS - ALL OTHER  
FACTORY EQUIPMENT

COMMERCIAL  
LIGHTING  
& WIRING

electricity  
RESIDENTIAL  
THE LATEST WIRING  
FOR MODERN LIVING

Nov. 22. 1995 12:24PM EST -S. O. C. F. AIRTEL CO

No. 8225 F 19/45

**JESS HOWARD ELECTRIC COMPANY****ENGINEERING & CONTRACTING**P.O. BOX 95 • 6630 TAYLOR RD. • BLACKLICK, OHIO 43004 • PHONE (614) 851-1300  
"MEN • EQUIPMENT • KNOW HOW"

September 3, 1992

Southern Ohio Correctional Facility  
Lucasville-Milford Road  
Lucasville, Ohio 45648

VIA FAX ONLY: 1-259-2894

Attn: Norm McGinnis

Subject: Southern Ohio Correctional Facility  
Inspection & Testing of Electric Chair and Associated  
Electric Equipment

Dear Mr. McGinnis:

After inspection of the referenced equipment I would like to offer the following:

First of all, the equipment is so old and obsolete that no parts or technical data is available from the manufacturers.

The voltage regulator has leaked oil and is below the sight glass which indicates that the tank is deteriorated.

The main transformer, P/T transformer and oil switch shows oil leaks on the bushings and tanks, and the wire is deteriorated.

Even though the system could be tested and possibly operated, because of the age and so many of the operating parts are mechanical, I could not guarantee that it would not malfunction.

It is my opinion that it should be replaced. If you wish to further test and make it operational, we would have to work on a time and material basis.

If you have any questions, please contact my office.

Sincerely,

JESS HOWARD ELECTRIC COMPANY

*Richard J. Eick*  
Richard J. Eick  
Vice President  
JEEPRIMARY  
TRANSFORMERS • SUBSTATIONS  
POWER LINE • CONSTRUCTIONINDUSTRIAL  
MOTORS • COMPENSATORS  
RECTIFIERS • ALL OTHER  
FACTORY EQUIPMENTCOMMERCIAL  
LIGHTING  
& WIRINGelectricity  
RESIDENTIAL  
THE LATEST WIRING  
FOR MODERN LIVING

2-18



Nov. 22, 1995 2:25PM S. D. C. F.

No. 8255 F. 20/40



Attorney General  
Lee Fisher

September 4, 1992

Phillip Parker  
Director of Southern Region  
1050 Freeway Drive North  
Columbus, Ohio 43229

Dear Phil:

I have attached the following:

1. A letter from me detailing Jay Wiechert's qualifications to fix the electric chair and the lack of any other known qualified person to do the repairs.
2. A letter from Jay Wiechert giving an approximate price for the modernization of the electric chair and what would be included in the estimated price.
3. Copies of Jay Wiechert's engineering license and diplomas.
4. A letter and resume from Dr. Michael Morse detailing his experience and cost per hour to inspect the electric chair. If we use someone other than Mr. Wiechert, I would suggest using Dr. Michael Morse to inspect the chair upon completion to determine its efficiency and capabilities. Dr. Morse would be necessary if we were to go to court to defend the efficiency and mechanics of the electric chair.


Mr. Wiechert told me that he has been able to make arrangements to prepare the chair for operation by September 29, 1992 if absolutely necessary. He would prefer to work on a more orderly schedule, but he has located the necessary parts and is ready to go if we need him.

Nov. 22. 1995 2:25PM S. O. L. F.

No. 6255 P. 21/40

I must let Mr. Wiechert know if we need his services and if so when we want him to come out and inspect the site. Please call me by 2:30pm today and let me know what the Department wants to do.

Sincerely,



William E. Mohr  
Assistant Attorney General  
614/664-7233

CC: Art Tate  
David See

Nov. 22, 1995 2:25PM S. O. C. F.

No. 6285 F. 22/46



Attorney General  
Lee Fisher

## MEMORANDUM

TO: PHIL PARKER  
FROM: SUELLEN MOHR *SM*  
Assistant Attorney General  
RE: THE QUALIFICATIONS OF JAY WIECHERT  
DATE: SEPTEMBER 4, 1992

I have contacted the Attorney General Offices in Alabama, Virginia, Georgia, and Texas. I have talked to the Warden of the Georgia prison where the executions are held. All of the above individuals named Jay Weichert as the electrical engineer who updated or built their electric chairs. I spoke with the attorney general's office in Florida. They consulted with Weichert on their chair's condition.

I contacted Jay Weichert and obtained his credentials. He has built electric chairs for Arkansas, Alabama, and two for Georgia. He spoke with David See at SOCF and from that conversation submitted an estimated proposal to rebuild the electric chair. Mr. Weichert believes he can complete the project by September 29, 1992 if necessary. He will use the maintenance staff at SOCF to help install the equipment.

No other qualified individual was named by any of the contacted offices as someone who specialized in the creation and maintenance of electric chairs. The only other individual named as someone to avoid was Fred Leutcher. Leutcher has been discredited in several federal courts and has testified against the state when the state has not accepted his bid to update its electric chair. No matter who is chosen, Leutcher should not be considered.

Nov. 22, 1995 2:25PM S. O. C. F.

OFFICE OF THE  
ATTORNEY GENERAL  
DON SIEGELMAN  
ATTORNEY GENERAL  
MONTGOMERY, ALABAMA 36130  
(205) 242-7300



STATE OF ALABAMA

RECEIVED  
OFFICE OF THE ATTORNEY GENERAL  
FEDERAL LITIGATION SECTION

JUL 27 1990

## M E M O R A N D U M

TO: All Capital Punishment States

FROM: Ed Carnes  
Alabama Assistant Attorney General

RE: "Execution Technology Expert"  
Fred Leuchter

DATE: July 20, 1990

You should be aware of some facts concerning a self-styled "execution technology" expert named Fred Leuchter from Massachusetts. Mr. Leuchter claims to have provided execution technology advice, components, or systems to a large number of states. He has installed Tennessee's new electric chair system, which has not been used yet. At one time he was under contract to provide a new electric chair system for Alabama, but the status of that contract is now uncertain.

Leuchter appeared as a paid expert witness for the petitioner, Judias V. Euenozno, in a proceeding involving a claim that Florida's electric chair, and particularly its electrodes, were defective and that that defect is what caused the much-publicized problem during the execution of Jesse Tafero. There was an evidentiary hearing, and Leuchter

2-22

Nov. 22, 1995 2:25PM S. O. S. F.

No. 8255 P. 24/40

testified at length. During the testimony, it was established that Leuchter: had a B.A. in history; had no engineering degree or medical training; had never seen an execution; and had never installed an electric chair or other execution system that had actually been used.

At the conclusion of the evidentiary hearing, the federal district court ruled in favor of Florida and rejected Leuchter's testimony. In doing so, the court found that Leuchter had "misquoted the statements" contained in an important affidavit; that he had "inaccurately surmised" a crucial premise of his conclusion; and that the testimony the petitioner had presented in general, and that of Leuchter in particular, was "unreliable." See footnotes 34 & 35 of the attached copy of the relevant part of the Evans opinion.

Less than two weeks after he had testified against Florida in the Evans case, Leuchter called my office in connection with an attempt by the attorney for an Alabama death row inmate, Wallace Norrell Thomas, to raise a claim involving Alabama's electric chair. That claim stemmed from a problem that had occurred two executions back (the execution personnel had plugged the cables into our electric chair in such a way that it received no electricity the first time the switch was thrown). The problem had been permanently fixed, but Thomas' attorney raised a claim concerning the reliability and efficacy of our electric chair system, anyway.

Leuchter told us that he was under contract with the Alabama Department of Corrections to install a completely new

Nov. 22. 1995 2:26PM S. D. C. F.

No. 8255 P. 25/40

electrocution system; that there was nothing fundamentally wrong with the old system except that it was old; and that he did not anticipate there would be any problem with the scheduled execution of Thomas in the old chair. He said he had told Thomas' attorney all that, and he volunteered to give us an affidavit saying all that.

We got the affidavit from Leuchter (we paid \$450.00 for his time), a copy of which is attached, and we submitted it to the federal district court in the Thomas proceeding. Fortunately, we also presented the testimony of someone who was a highly qualified electrical and biomedical engineer and who had intensively inspected and tested our chair in anticipation of the claim. We did not just rely on Leuchter's affidavit. All went well at the evidentiary hearing, and the district court ruled in our favor and denied a stay on July 10, 1990. The Eleventh Circuit affirmed on July 11, 1990. The Supreme Court denied certiorari and a stay on July 12, 1990.

At approximately 6:30 or 7:00 p.m. on July 12, 1990, less than six hours before the scheduled execution, Thomas' attorney filed in the Alabama Supreme Court a motion for stay of execution. The sole ground of that motion was that Leuchter had that day contacted Thomas' attorney and told him that Leuchter had just learned: his contract to supply Alabama with a new electric chair was being re-bid; he felt he had been used; and, on second thought, Alabama's existing chair was old and unreliable and might not work in the scheduled execution. Leuchter signed an affidavit, a copy of which is attached,



Nov. 22, 1995 2:26PM S.O.C.F.

No. 8255 P. 26/40

supporting all the averments of that motion. Leuchter's (second) affidavit makes it clear that he contacted Thomas' attorney after he had tried unsuccessfully to contact the federal judge who had denied Thomas' petition upon consideration of evidence which included Leuchter's first affidavit.

Fortunately, the Alabama Supreme Court denied the last-minute motion, and Thomas was executed on schedule a few minutes past midnight on July 13, 1990.

Next came the events in Virginia, where a murderer named Richard Boggs was scheduled to be executed on July 19, 1990. On the day before the scheduled execution, Boggs filed a federal habeas petition which included a claim that Virginia's electric chair, which had never malfunctioned, might be faulty. The petition was supported by an affidavit by Fred Leuchter. In his affidavit, Leuchter opined that the Virginia electric chair system, like the system in Florida, was "obsolete in design," "prone to malfunction and failure," used an "old and outmoded" control system, and, as a result, "there is a real possibility that Virginia's chair will malfunction." His affidavit also opined that the result of a malfunction could be "a living, brain-dead, vegetable sitting in the electric chair, the state having no means to complete the execution." A copy of Leuchter's Virginia affidavit is attached.

On February 19, 1990, the federal district court denied Boggs relief. In doing so, the court noted that the Virginia

Nov. 22, 1995 2:26PM S. J. L. F.

No. 8285 P. 28/40

unorthodox.<sup>1</sup> He is very good at promoting himself and claims that "our Modular Electrocution System [is] the only state of the art system available today." He promotes himself as an expert on and supplier of lethal injection equipment, also. You may encounter problems with Leuchter in your state.

The common denominator of Leuchter's involvement in Florida, Alabama, and Virginia is that he was called in to consult on execution equipment by the corrections department of each state, he quoted a price for replacing the system or certain components of it, and he did not get a contract for the business (or, in Alabama, he got one and then thought he had lost it). In each instance, he then supplied testimony either

---

Leuchter testified in the Florida proceedings and stated in his Virginia affidavit that proper electric chair technique required use of two leg electrodes. He has no medical background and has never cited any scientific literature supporting his opinion on that subject. Of the hundreds of electrocution executions carried out in this country in the past century, not one has involved use of two leg electrodes. See generally, Barnstein, "A Grand Success," IEEE Spectrum, 10:58 (Feb. 1973) ("The electric chairs used are generally similar to the first chair, except that a head electrode is used in conjunction with a second electrode at the calf of one leg.").

In the Thomas proceeding in Alabama, we proved that all of the post-Duham electrocution executions to date have been carried out using one leg electrode. We did that by having our electrical engineer call the wardens of the death row facility in each state where there has been a post-Duham electrocution execution. Those states are: Alabama, Arkansas, Florida, Georgia, Indiana, Louisiana, South Carolina, and Virginia. See, NAACP Legal Defense and Education Fund, Inc., Death Row U.S.A. (May 30, 1990), at 5-7 (listing executions since 1972); Bureau of Justice Statistics, Bulletin, Capital Punishment 1988 (July 1989), at 5 (listing methods of executions by state). All of those states reported that every electrocution had been with one leg electrode and no problem had ever been incurred from the use of one leg electrode.

Nov. 23. 1995 2:27PM S. D. C. F.

No. 8255 P. 29/40

in person or by affidavit that the existing execution equipment was old, unreliable, or defective and might malfunction during the next scheduled execution.

What this means is that if Leuchter has consulted with your corrections people and has offered to replace their execution system or some component of it and has been turned down, you had better prepare to meet his affidavit or testimony before your next execution. Even if he has not consulted with your corrections people, Leuchter may still appear against you. The fact that he was contacted by the other side for use in three states during the same month indicates how fast word about his availability has spread among the anti-death penalty people.

The best way to prepare to rebut Leuchter's testimony that your execution system is too old, is unreliable, or is defective or outmoded in design, is to prepare in advance to present expert testimony. If yours is an electric chair system, have a bona fide electrical engineer inspect your entire system and thoroughly test it, and if he makes any suggestions, follow them. There are different subspecialties of electrical engineers, and the best one to check out the functioning and reliability of an electric chair system is a power engineer who knows high voltage equipment. Another type of electrical engineer who is very useful is a biomedical engineer, which is an electrical engineer who specializes in application of electricity to the human body (as in design of devices to administer low current to treat spinal injuries, in design of pacemakers, and so forth).

Nov. 22, 1995 2:27PM S.D.C.F.

No. 8265 P. 30/40

In our Alabama proceedings, we used a very good biomedical engineer who was also qualified and accepted as an expert in the functioning of electrical equipment. His name is Dr. Michael Morse, and he is in the process of moving from Auburn University in Alabama to San Diego, California.

If your method of execution is lethal injection, I do not know how Lauchter will be used against you, if he will be, nor do I know how you can prepare for it. What Virginia did in their case, and what might work regardless of the execution method, is to obtain in advance affidavits establishing that the system has been successfully used and has never failed.

If you need any additional information about the events in Florida, call Carolyn Snurkowski or Richard Martell (904-488-0600), or Marjane Roper (904-238-4950). If you need any additional information about the events in Alabama, call John Gibbs or me (205-242-7408). If you need any additional information about the events in Virginia, call Jerry Sloanaker (804-786-2071). Let us know if Lauchter shows up in your state.

EC/alu

1329v

Nov. 22, 1995 2:27PM S. O. C. F.

JUSTICE

# The Executioner's Handyman

## The engineer of death may not be an engineer

substance. "If the chemicals are not purchased in California due to Prop 128, they will go elsewhere, like Japan, and ozone depletion will be the same," says Katy Wolf, who researched CFC substitutes for the Rand Corp. The Prop 128 authors argue that the significance of the CFC reform is less in affecting the ozone layer than in proving that a diversified economy can live without the chemicals. They may be right. Chemists have come up with substitutes for ozone destroyers, ranging from an orange-peel-based solvent that cleans circuit boards to a water-based air conditioner that replaces the CFC units of today. The U.S. Environmental Protection Agency says that eliminating CFCs would cost less than the estimate given two years ago for merely halving them.

Electric cars Big Green also requires cuts in emissions of carbon dioxide (CO<sub>2</sub>), a gas responsible for the greenhouse effect. The efforts in California would lower world CO<sub>2</sub> output by less than 1 percent but might become a model for the nation. Until now the Bush administration has resisted efforts to limit CO<sub>2</sub>, while several Western European countries have pushed ahead with ambitious programs of cutbacks.

Cars alone account for 45 percent of California's CO<sub>2</sub> output. And the only way to sharply reduce driving-related charges is to raise gasoline taxes, perhaps as much as 60 cents more per gallon. But even without Prop 128, the rules of the road are changing drastically. One regional air-quality board has ordered more car pools through forced ride-sharing organized by employers, and a state agency has mandated that, by 2003, one out of 10 new cars sold in California be electric. Such rules would cut CO<sub>2</sub> more than 10 percent.

For the rest of the CO<sub>2</sub> savings, backers of big Green look to electric utilities, which account for 15 percent of California's CO<sub>2</sub> output. They pin their hopes on energy efficiency, which could slash electricity use 10 percent. If that's not enough, utilities might have to switch from coal and oil, big carbon belchers, to natural gas, nuclear or movable energy sources. As a result, prices a Pacific Gas and Electric analysis, energy bills would increase by as much as 1 percent by the year 2010.

Is this any way to save the planet? So far, California's voters seem to think so. Although pollsters found support for the initiative dipping soon after Iraq's invasion of Kuwait, recent surveys indicate that it might squeak through. If Big Green takes off, the state will become a test case—a planet be saved at an affordable cost—and a proving ground for just about anything environmentalists pray for without saving the Amazon. Not even California has the hubris to tackle that one.

SHARON BECKLEY WITH JOHN TALLERD FOR THE LOS ANGELES TIMES



Under attack: Leuchter with tools of his trade

It's little wonder that Fred A. Leuchter Jr., a proud businessman and intrepid historian, is a controversial fellow. The president and chief engineer of Fred A. Leuchter Associates, Inc., he rigs up electric chairs, lethal-injection dispensers and other execution hardware for states with the death penalty. Such inventive efforts don't exactly endear him to civil-rights activists (or, presumably, some of his suburban Boston neighbors). Leuchter is also author of a 1995 paper purporting to prove that the Nazis didn't use gas chambers to exterminate Jews at Auschwitz, Birkenau and Majdanek concentration camps; that conclusion doesn't sit too well with those who witnessed the Holocaust.

Now some of his enemies are getting even. Next week Leuchter is scheduled to be arraigned in Middlesex County on charges of practicing engineering without a license. It's not that capital clients are unhappy with his machines. Rather, it's a group of Holocaust survivors who complained to Massachusetts authorities that Leuchter was passing himself off as a scientist in order to legitimate his revisionist views of World War II.

If convicted, he faces up to three months in prison and a \$500 fine, but Leuchter has bigger problems: his livelihood is dying. Notwithstanding what wardens may think when they discover their execution handyman could be unlicensed, states are already raising questions about Leuchter's business practices. In July, an Alabama assistant attorney general wrote a memo to colleagues in other states alleging that Leuchter was running a death-row shake-down scheme: if a state didn't purchase Leuchter's services, he would testify at the last minute for the condemned man that the state's death chamber might malfunction. (Leuchter denies any intent to twist arms.) In August, Illinois officials decided not to use Leuchter to train staffers for the state's first execution in 28 years. And he hasn't received many calls since.

Leuchter receives visitors in his simple home filled with stuffed animals (the furry, not taxidermied, kind). He says he's being persecuted because of his Holocaust views. He plans to plead not guilty, arguing that the Massachusetts licensing requirements aim to protect the public against poorly designed buildings and that the law doesn't apply to him anyway because his work is done out of state. Leuchter, 47, has only a B.A. in history and has never taken an engineering-licensing test.

The state licensing board acknowledges it began an investigation after receiving a letter from Shelly Shapiro, director of Holocaust Survivors & Friends in Purcell, of Justice. When the licensing board found no record of Leuchter in their files, they wrote him twice. He ignored the letters because "I did not believe the engineering board would move on something so stupid." Of Shapiro's group and the Anti-Defamation League of B'nai B'rith, Leuchter says, "They are doing exactly what they felt their enemies did to them." The ultimate revisionist comparison: Auschwitz wasn't a death camp, merely a merciless administrative board.

DAVID A. KATZ WITH LUCIA FORTIN FOR THE TIMES

2-20

Nov. 22. 1995 2:55PM

S. D. C. T.

No. 8255 P. 32/43

**JAY WIECHERT MANUFACTURING**SPECIAL MACHINES • TOOLS • FIXTURES  
INDUSTRIAL CONTROL SYSTEMS715 SOUTH 18TH  
FORT SMITH, ARKANSAS 72901JAY WIECHERT, Owner  
PROFESSIONAL ENGINEERFAX 501.782.3715  
GUY, BOY, PAUL

July 24, 1992

Ms. Suelien Mohr  
Attorneys General Office  
26TH FLOOR  
30 East Broad St.  
Columbus, Ohio 43266-0410

RE: MS. SUELIEN MOHR


THANK YOU FOR CALLING CONCERNING EXECUTION EQUIPMENT.  
I HAVE ENCLOSED 2 ISSUES AS REQUESTED.

Our company designs and fabricates automation equipment for  
manufacturers.

We have furnished five execution systems to date.

I look forward to working with you on this project.

Sincerely yours,

  
Jay Wiechert



Nov. 22. 1995 2:28PM S. O. C. I.

No. 9255 P. 33/40

**JAY WIECHERT MANUFACTURING**

SPECIAL MACHINES - TOOLS - FIXTURES  
INDUSTRIAL CONTROL SYSTEMS  
719 SOUTH 90TH  
FORT SMITH, ARKANSAS 72901

JAY WIECHERT, Owner  
PROFESSIONAL ELECTRICIAN

PLEASE DO NOT  
FORGET TO SIGN  
AND DATE

Sept 1, 1992

Mr. David See  
Deputy Warden  
Depart. of Corrections  
Lucasville, Ohio 45648

Dear Mr. David See:

Thank you for your inquiry concerning electrical execution equipment. The approximate price will be thirty thousand dollars (\$30,000.00). Exact price will depend upon your particular design requirements.


We will provide:

- A. Complete control panel with fused disconnect switch.
- B. High voltage transformer.
- C. High voltage cables and body electrodes.
- D. Portable test box for checking equipment prior to use.
- E. Supervision of installation.
- F. Final inspection of total system.
- G. Engineering drawing, test procedure, execution procedure.

I would be happy to visit your prison, examine your existing equipment, and provide a written proposal. The price for this service will depend on my expenses, but will not exceed one thousand dollars (\$1,000.00).

Thank you.

Sincerely yours,

  
Jay Wiechert

Nov. 22. 1995 2:25PM S. O. C. F.

No. 8295 F. 34/42

# KANSAS STATE UNIVERSITY

OF AGRICULTURE AND APPLIED SCIENCE

UPON RECOMMENDATION OF THE FACULTY HAS CONFERRED UPON

**Jay Allen Wierbert**

THE DEGREE OF  
Bachelor of Science  
In Electrical Engineering

WITH ALL THE RIGHTS AND PRIVILEGES PERTAINING THERETO

GIVEN AT MANHATTAN, IN THE STATE OF KANSAS

THIS SIXTH DAY OF JUNE, NINETEEN HUNDRED AND SIXTY-FIVE

STATE BOARD OF REGENTS



*[Signature]*  
Vice President

*[Signature]*  
Secretary

*[Signature]*  
PRESIDENT

*[Signature]*  
DEAN

# KANSAS STATE UNIVERSITY

OF AGRICULTURE AND APPLIED SCIENCE

UPON RECOMMENDATION OF THE FACULTY HAS CONFERRED UPON

**Jay Allen Wierbert**

THE DEGREE OF

Master of Science

WITH ALL THE RIGHTS AND PRIVILEGES PERTAINING THERETO

GIVEN AT MANHATTAN, IN THE STATE OF KANSAS

THIS TWENTY-SIXTH DAY OF JANUARY, NINETEEN HUNDRED AND SIXTY-EIGHT

STATE BOARD OF REGENTS



*[Signature]* CHAIRMAN  
*[Signature]* CLERK

*[Signature]*  
PRESIDENT

No. 8265 F. 35/40

Nov. 22. 1898 2:29PM S. O. C. F.

Arkansas State Board of Registration

for  
**Mechanical Engineers  
and  
Land Surveyors**

State of Arkansas

This is to Certify that

**Jay Weichert**

having submitted acceptable evidence of his qualifications and experience has been duly registered as a

**Professional Engineer**

and is hereby authorized to practice engineering in the State of Arkansas in accordance with provisions of State Laws governing such practice.

In testimony Whereof this Certificate No. 3731 has been  
issued and seal affixed this 29th day of July, 1974*James R. Hight**James R. Hight*

Nov. 22, 1995

2:29PM

S. D. C. F.

No. 8255 P. 36.46

Michael S. Morse, Ph.D.  
P.O. Box 710402  
San Diego, CA 92171-0402  
(619) 277-9135  
(619) 987-2397 cellular

August 27, 1992

Sue Ellen Mohr  
Ohio Attorney General's Office  
30 E. Broad Street  
26th Floor  
Columbus, OH 43265-0410

Dear Ms. Mohr.

Enclosed is a copy of my current C.V. In the past, I have consulted with Alabama, Florida, Louisiana, and Virginia with regard to the operation and function of their electrocution systems. On three occasions, I have been qualified to testify as to the effects of electricity on the human body during a legal electrocution. I have also reviewed and commented on the procedure and the professionalism of the execution teams. Over the past two years, I have interviewed DOC personnel in all electrocution states and have a familiarity with the procedures followed.


When evaluating a states electrocution system, I follow a fairly simple procedure. I test all of the equipment to establish reliability and repeatability. I verify that the system produces adequate current and voltage to assure as humane an electrocution as is possible. I examine the equipment and electrodes looking for apparent weaknesses in the system. I also interview all parties involved in the electrocution and comment on their preparation, performance, and professionalism. Finally, I make recommendations to reduce the risk of error and also to minimize the risk of equipment malfunction. My goal throughout is to maximize the humanity with which the law is carried out while identifying risks and liabilities.

The fee for my services is \$150.00 per hour plus all reasonable expenses. I would prefer to receive a retainer equal to estimated expenses prior to beginning my work.

As I can be of service, please feel free to contact me at your convenience.

Sincerely,

*Michael S. Morse*  
Michael S. Morse, Ph.D.



Nov. 22, 1995 2:29PM S. D. C. F.

No. 8265 P. 37/45

Michael S. Morse, Ph.D.  
 P.O. Box 710402  
 San Diego, CA 92171-0402  
 (619) 987-2397 / (619) 277-9135  
 (Prepared: February, 1992)

**EXPERTISE**

• Electric shock injury, biomedical device failure (electromechanical), human factors engineering, failure at the human-machine interface.

**EXPERIENCE**

- Development of electrostimulation assist devices for the spinally injured.
- Consultation in several electric shock injury cases.
- Consultation in medical device (electro-mechanical) failure cases.
- Evaluation of labeling on medical devices.
- Studied level of conscious sensation (pain) associated with electric shock.

**COURT EXP.**

U.S. District Court (Mobile): Qualified as both a Biomedical and Electrical Engineering expert. Permitted to testify as to the effects (physiology and pain) of electricity on the human body.

U.S. District Court (Orlando): Qualified as a Biomedical engineer and as an expert in "Electrical Technology." Permitted to testify to the effects of electricity on the human body.

U.S. District Court (New Orleans): Qualified and permitted to testify to the effects of electricity on the human body.

Federal Court (Portland): Testified regarding electrical failure and resultant injury from electrical connector.

**DEPOSITIONS**

- Medical device failure (electropapillotome).
- Electric shock injury from an improperly wired vacuum pump.
- Accuracy of an IVAC infusion pump

**POSITIONS HELD**

Assistant Professor, Electrical Engineering, University of San Diego,  
 (September 1990 - present).

Assistant Professor, Electrical Engineering, Auburn University,  
 Auburn, AL. (September 1987 - September 1990).

- Awarded NSF initiation grant and IEEE education grant (declined NSF funding to accept NSF funding). Developed algorithms to recognize speech from myoelectric signals. Also developed a multichannel electric stimulation system to assist individuals with spinal injuries.
- Courses taught: Computer design, computer architecture, biomedical tech.

Nov. 22, 1995 2:29PM S. O. E. F.

No. 8255 P. 38/40

Michael S. Morse  
 P.O. Box 710402  
 San Diego, CA 92171  
 (619) 987-2397 / (619) 277-9135  
 (PAGE 2)

Senior Engineer, General Dynamics Electronics Division, San Diego, CA (October 1985 - June 1987).

- Developed image processing algorithm to assist with aircraft recognition.
- Graphical programming and signal processing tool.

Lecturer, Electrical Engineering, San Diego State University (January 1987 - May 1987).

Course taught: Digital computer design.

Teaching Assistant, Electrical Engineering, Clemson University (May 1984 - May 1985).

Courses taught: Digital Signal Processing, Microprocessor programming.

## EDUCATION

Ph.D. in Engineering, Clemson University, Clemson, SC, 1985.

Developed instrumentation to measure and process biologic signals for the purpose of recognizing speech from signals secondary to speech.

M.S. in Biomedical Engineering, Tulane University, New Orleans, LA, 1982.

Analyzed force characteristics of muscles controlled by a stimulation technique termed Selective Electrostimulation.

B.S. in Biomedical Engineering, Tulane University, New Orleans, LA, 1981.

Emphasis placed on electrical engineering, bioelectronics, bioinstrumentation and computer applications in medicine.

## HONORS

IEEE - Electrical Engineering Honor Society, 1990.

Sigma Xi - Research Honor Society, 1986.

Tau Beta Pi - Engineering Honor Society, 1981.

Edwards Scholarship - Clemson University, 1983.

## PATENTS

Electrostimulation device to aid the spinally injured.  
 (Received: August, 1991)

## PUBLICATIONS

See attached list.



Nov. 22, 1995 2:30PM S.O.C.F.

No. 8225 F. 39/48

Papers and Publications  
Michael S. Morse

Hodel, A.S., M.S. Morse, S.E. Day, "Recognition of Speech From Time-Domain Myoelectric Signal Parameters," Submitted to: Journal of Computers in Biology and Medicine

M.S. Morse, Y.W. Cepalan, M. Wright, "Speech Recognition Using Myoelectric Signals With Neural Networks" IEEE Engineering in Medicine and Biology Conference, Orlando, FL, November, 1991.

M.S. Morse, S.E. Day, J. May, "Time Domain Analysis of the Myoelectric Signal Secondary to Speech," IEEE Engineering in Medicine and Biology Conference, Philadelphia, PA, November, 1990.

M.S. Morse, "Human Factors: Liabilities and Realities Faced by the Biomedical Engineer" National Forum -- The Phi Kappa Phi Journal, 1989.

M.S. Morse, S.E. Day, "Use of Myoelectric Signals to Recognize Speech" IEEE Engineering in Medicine and Biology Conference, Seattle, November, 1989.

S.E. Day, M.S. Morse, "Recognition of Speech Utilizing the EMG from Neck Muscles -- An Update" Eighth Annual Southern Biomedical Engineering Conference, Richmond, VA, Oct., 1989.

B.L. Trull, M.S. Morse, C. Ellis, R. Williams, S.E. Day, R. Mathis, "Microaccelerometers for Biomedical Applications" Eighth Annual Southern Biomedical Engineering Conference, Richmond, VA, Oct., 1989.

S. Green, M.S. Morse, "Signal Processing Software for Analyzing Speech and Parallel Myoelectric Signals" Eighth Annual Southern Biomedical Engineering Conference, Richmond, VA, Oct., 1989.

M.S. Morse, T.A. Roppel, A. Cilia, M. Wixson, J. Walker, "Multichannel Computer Controlled Stimulation System To Assist The Spinally Injured" IEEE Engineering in Medicine and Biology Conference, New Orleans, Nov 4-7, 1988.

S. Hartzog, M.S. Morse, B. Trull, C. Alogos, P. Harris, "Recognition of Speech From Signals Secondary to Speech" IEEE Engineering in Medicine and Biology Conference, New Orleans, Nov 4-7, 1988.

X. Reeves, M. Morse, T. Roppel, J. Walker, "Local Area Network Protocol to Download Biosignals From Multiple Amplifier Sights over a Single Medium" IEEE Engineering in Medicine and Biology Conference, New Orleans, Nov 4-7, 1988.

Nov. 22, 1985 2:30PM S.C.C.F.

T. Roppel, M. Morse, "A Multichannel Digital Biosignal Acquisition System Using Hybrid Microelectronics" IEEE Engineering in Medicine and Biology Conference, New Orleans, Nov 4-7, 1988.

B. Scroggins, R. Scopp, J. Walker, M.S. Morse, "FES Controlled Ambulation With Surface Electrodes and No Orthotics" IEEE Engineering in Medicine and Biology Conference, New Orleans, Nov 4-7, 1988.

J. Walker, S. Amols, B. Scroggins, M. Morse, "Are Paralyzed People Really Paralyzed? Probably not according to EMG analysis" IEEE Engineering in Medicine and Biology Conference, New Orleans, Nov 4-7, 1988.

I. Anderson, E. Parkinson, B. Scroggins, M. Morse, "FES For Joint Stabilization During Stance Phase of Locomotion in Spinal Cord Injured" IEEE Engineering in Medicine and Biology Conference, New Orleans, Nov 4-7, 1988.

D. Gwaltney, M. Morse, T. Roppel, J. Walker, M. Wixson, "Development of a Multichannel Computer Controlled Stimulator To Assist the Spinally Injured" Seventh Annual Biomedical Engineering Conference, Greenville, SC, Oct. 27-30, 1988.

M. Morse, S. Hartsog, M. Clark, C. Alegre, C. Rieth, B. Trull, "Speech Recognition from Signals Secondary to Speech" Seventh Annual Biomedical Engineering Conference, Greenville, SC, Oct. 27-30, 1988.

M. Morse, E. O'Brien, "Research Summary of a Scheme to Ascertain the Availability of Speech Information in the Myoelectric Signals of Neck and Head Muscles Using Surface Electrodes" Journal of COMPUTERS IN BIOLOGY AND MEDICINE, Volume 16, Number 6, 1986.

M. Morse, "Preliminary Design and Implementation of a Scheme to Recognize Speech From Myoelectric Inputs Using Maximum Likelihood Pattern Recognition" ANNALS OF BIOMEDICAL ENGINEERING (dissertation abstracts), Volume 14, 1986.

M. Morse, "Development and Testing of a Computer Regulated, Hand Controlled, Quasi-Real-Time Vocal Prosthesis" IEEE Southeastcon, Raleigh, NC; Mar. 31 - Apr. 3, 1985.

M. Solomonow, M. Morse, R. Scopp, "Time Response of Isometric Muscle Force During Recruitment" IEEE Frontiers of Engineering in Health Care, 1983.

M. Solomonow, R. Scopp, M. Morse, "Recruitment Based Neuroprostheses with Myoelectric Feedback" 36th Annual Conference of Engineering in Medicine and Biology (ACEMB), 1983.




RICHARD F. CELESTE  
GOVERNOR

OHIO DEPARTMENT OF REHABILITATION AND CORRECTION

SOUTHERN OHIO CORRECTIONAL FACILITY

P.O. Box 45699  
Lucasville, Ohio 45699-0001

October 6, 1988



Mr. Joseph T. Deters  
Hamilton County Clerk of Courts  
Court House  
1000 Main Street  
Cincinnati, Ohio 45202

Re: COLEMAN, Alton  
SOCF # 205-901  
Your Case Nos. B-842559  
and B-843548

Dear Mr. Deters:

This is to inform you that Alton Coleman was transferred from the United States Penitentiary in Marion, Illinois to this facility on October 5, 1988. He has been housed in our cell block K-4 and classified as death row.

This will also advise you of our receipt of Death Warrants from Hamilton County Common Pleas Court specifying execution dates for Mr. Coleman of September 4, 1985 and November 18, 1985. We are presently awaiting receipt of current, valid Stays of Execution for Mr. Coleman in both of the captioned cases.

It is a matter of utmost urgency that you send me certified copies of every Stay of Execution or Journal Entry affecting Mr. Coleman's death sentence status as soon as they are filed in your office.

Cordially yours,

SOUTHERN OHIO CORRECTIONAL FACILITY

*Wallace E. Stein*

Wallace E. Stein  
Chief Record Clerk

WES/s



RICHARD F. CELESTE  
GOVERNOR

OHIO DEPARTMENT OF REHABILITATION AND CORRECTION

SOUTHERN OHIO CORRECTIONAL FACILITY  
P.O. Box 45599

Lucyville, Ohio 45699-0001

October 6, 1988

Ms. Patricia R. Jones  
Staff Attorney  
Governor's Suite  
State House  
Columbus, Ohio 43266-0601

Re: COLEMAN, Alton  
SOCF # 205-901

Dear Ms. Jones:

This is to inform you that Alton Coleman was transferred from the United States Penitentiary in Marion, Illinois to this facility on October 5, 1988. He has been housed in our cell block K-4 and classified as death row.

This will also advise you of our receipt of Death Warrants from Hamilton County Common Pleas Court specifying execution dates for Mr. Coleman of September 4, 1985 and November 18, 1985. We have been advised that Stays of Execution are in effect on both of these dates and that certified copies of both of them are enroute to us by mail. We will advise you of their details as soon as we receive them.

Cordially yours,

SOUTHERN OHIO CORRECTIONAL FACILITY

*Wallace E. Stein*

Wallace E. Stein  
Chief Record Clerk

WES/s

SOUTHER. OHIO CORRECTIONAL FACILITY

DATE October 5, 1988

THOSE CONCERNED

FROM: OFFICE OF THE SUPERINTENDENT

SUBJECT: TRANSFERS IN FROM: OUT-OF-STATE TRANSFER FROM MARION ILLINOIS  
TO THE SOUTHERN OHIO CORRECTIONAL FACILITY  
WEDNESDAY - OCTOBER 5, 1988

RE: B05 901 COLEMAN, Alton

TO BE HOUSED IN DEATH ROW

NOTE: SOCF TO TRANSPORT

Authorization for transfer of the above named inmate(s) from the U.S. PENITENTIARY  
MARION ILLINOIS to the SOUTHERN OHIO CORRECTIONAL FACILITY has been  
received on this date from the Bureau of Classification & Statistics. Authorization  
for clearance into this facility is hereby given. Transfer will occur on WEDNESDAY,  
OCTOBER 5, 1988.

SOUTHERN OHIO CORRECTIONAL FACILITY

*J. M. Morris*  
SUPERINTENDENT *h42*

TLM:tdh  
: Chief of Security  
Record Office  
Captains Office  
Control Center #1  
Max Control Unit Supv.

A-Building  
Visiting Office  
Inmate Personnel  
Identification  
Programs Deputy

Social Services  
Mail Office  
Property Room  
J-Block Security  
T.I.E. Deputy  
File Unit FOUR.  
(UNIT SEVEN -DR)

/Su-7331 (Rev. 9/4/87)

8-3



RICHARD F. CELESTE  
GOVERNOR

OHIO DEPARTMENT OF REHABILITATION AND CORRECTION

SOUTHERN OHIO CORRECTIONAL FACILITY

P.O. Box 45699  
Lucasville, Ohio 45699-0001

October 14, 1988

Mr. Jerry Williford  
Warden  
United States Penitentiary  
Marion, Illinois 62959

Re: COLEMAN, Alton  
SOCF # 205-901  
Your Reg. No. 93135-024

Dear Mr. Williford:

In compliance with a request from Mr. William Breitfelder of the United States Marshals Service in Cincinnati, Ohio, we have made a notation in our files on Alton Coleman to notify you immediately of any change in the State of Ohio sentence status of Alton Coleman who is presently confined at this facility.

Mr. Coleman is currently under two separate death sentences from Hamilton County Common Pleas Court in Cincinnati, Ohio. We will notify you promptly in the event that those sentences should be modified to life imprisonment.

Cordially yours,

SOUTHERN OHIO CORRECTIONAL FACILITY

*Wallace E. Stein*

Wallace E. Stein  
Chief Record Clerk

WES/s



205-901

State of Ohio  
Department of Rehabilitation and Correction  
ADMISSION CENTER S.O.C.F.

## PRIOR INSTITUTION RECORD

#1

#2

Include prior institution for the current offense, if offender transferred.)

DATE ADMITTED	XXXXXXXXXX	07/02/74	XXXXXXXXXX 01/07/85
RECEIVING INSTITUTION NAME	Menard Correctional Cnt. Menard, Ill.		U.S.P. Marion, Ill.
INSTITUTION(S) TRANSFERRED TO:	ORW, OSR, LEBCL, OP/CMC, LOCI, MCI, CCI, SOCF.		ORW, OSR, LEBCL, OP/CMC, SOCF, LOCF, MCI, CCI,
CHARGE	Robbery, Rape; Kidnap.		Kidnapping
SENTENCE	2-6 Years		20 Years
SERIAL NUMBER	IL079015E		Reg. No. 93135-024
IS CONV. CLASS 1.			
CLASS 2.			
TYPE OF DISCHARGE/INSTITUTION	Not Recorded /		Detainer P/U to Ohio
DATE OF FINAL RELEASE	Not Listed /		None / TOT OHIO 10/05/88
UNSUCCESSFUL ESCAPE (Dates, Where)			
WARRANT ATTEMPTS (Dates, Where)			MCC Chicago, Ill. (Dates unspecified)
JUVENILE COMMITMENTS (Dates, Where)	Unknown		

ARREST SUMMARY	NO. OF FELONS	MISDEMEANORS	JUVENILE CONVICTIONS
NO	6		
OTHER	ILL.		
	3) IND.		
	N.C.		
TOTAL			
Arrested by <u>O.E. McGRAW</u>			Date <u>10</u> / <u>06</u> / <u>88</u>
<u>OLEMAN, Alton</u>	<u>205-901</u>	<u>M</u>	<u>B</u>
NAME	SERIAL NUMBER	SEX	RACE
			SUBJECT
			PAGE



RICHARD F. CELESTE  
GOVERNOR

OHIO DEPARTMENT OF REHABILITATION AND CORRECTION

1050 Freeway Drive, North, Suite 403  
Columbus, Ohio 43229

AUGUST 31, 1988

G. L. Henman, Warden  
U. S. Penitentiary  
Marion, Ill. 62959

Dear Warden Henman:

Pursuant to your letter of July 29, 1988, I hereby approve the transfer of Alton Coleman from the Federal Bureau of Prisons to the Ohio Department of Rehabilitation and Correction for concurrent service of his State and Federal sentences. Please consider this a formal request on behalf of the Department for return of Mr. Coleman to the State of Ohio.

Mr. Coleman will be housed on death row at the Southern Ohio Correctional Facility in Lucasville, Ohio. Please contact me when arrangements have been made for the transfer. Due to the seriousness of Mr. Coleman's crimes and to insure his safe return to Ohio, the Superintendent of the Southern Ohio Correctional Facility will personally transport Mr. Coleman back to the State of Ohio.

I appreciate your assistance in this matter. If you need any further information please contact me.

Sincerely,

*George W. Wilson*  
George W. Wilson  
Director

RECEIVED

NOV 2 1993

S.O.C.F.  
RECORD OFFICE

GWW/rkp

CC: Terry Morris, Superintendent  
Arthur M. Ney, Jr., Hamilton County Prosecutor  
Leonard Kirschner, Chief Prosecutor



U.S. Department of Justice  
Federal Bureau of Prisons  
U.S. Penitentiary

Marion, IL 62959

-- September 20, 1988

SEP 26 1988

Mr. George W. Wilson  
Ohio Department of Rehabilitation and Correction  
1050 Freeway Drive, North, Suite 403  
Columbus, Ohio 43229

RE: Correspondence of August 31, 1988

Dear Mr. Wilson:

Thank you for your correspondence of August 31, 1988 regarding the transfer of inmate COLEMAN, Alton, Federal Register Number: 93135-024 to the Ohio Department of Rehabilitation and Corrections for service of his State and Federal sentences. We are reviewing Coleman's present status and will contact you with transfer arrangements at a later date.

At this time, I am returning three copies of your correspondence which were inadvertently forwarded to G.L. Henman.

Sincerely,

*Larry K. Morrison*  
L.K. Morrison  
Inmate Systems Manager

RECEIVED

NOV 2 1988

S.O.C.F.  
RECORD OFFICE

RECEIVED  
UNITED STATES MARSHAL IN THE UNITED STATES DISTRICT COURT  
FOR THE SOUTHERN DISTRICT OF OHIO  
WESTERN DIVISION

85 JUN 24 09:14

KENNE  
JUN 21 11:07 AM '85  
U.S. DISTRICT COURT  
SOUTHERN DISTRICT OF OHIO  
WESTERN DIVISION

UNITED STATES OF AMERICA,  
SOUTHERN OHIO

Plaintiff,

Case No. CR 3-84-062

vs.

ALTON COLEMAN,  
DEBRA DENISE BROWN,

Defendants.

ORDER

RECEIVED  
JUN 21 11:07 AM '85  
U.S. DISTRICT COURT  
SOUTHERN DISTRICT OF OHIO  
WESTERN DIVISION

It having come to this Court's attention that, as of June 25, 1985, all sentences against Defendants Coleman and Brown will have been imposed in Hamilton County, Ohio,

IT IS HEREBY ORDERED that the Defendants Coleman and Brown be returned to Federal Custody and be transported from Hamilton County, Ohio, by the United States Marshal to the appropriate Federal Facility on or shortly after July 1, 1985.

IT IS FURTHERMORE ORDERED, over objection, that the request of Hamilton County, Ohio, to reserve the right to request that custody of Defendants Coleman and Brown be returned to the State of Ohio for execution of sentence at some future date be granted.

I certify that this is a true and correct copy of the original filed in the Office on June 21, 1985.

KENNETH J. MURPHY, CLERK

BY: Nancy F. Lick  
Deputy Clerk

DATE: June 21, 1985

W. H. Rice  
WALTER H. RICE  
United States District Judge


## RELEASE AUTHORIZATION

Institution
NSP MARTON
Date
10-04-1988

RELEASE OF THIS INDIVIDUAL IS AUTHORIZED:

Number	Name	Release Date	Method
93135-024	Coleman, Alton	10-05-1988	Concurrent Service 326
Detainer: YES <input type="checkbox"/> NO <input type="checkbox"/>			
Custody will be taken by:		Certified By: <i>Larry K. Morrison</i>	
Terry Morris and C. Tackett,		Larry K. Morrison	
Southern Ohio Corr. Facility		Title	
		InMate Systems Manager	

(thumbprint)



(photo)

## RELEASE ACTION

Identified By: <i>[Signature]</i>	Released By: <i>[Signature]</i>	
Funds Paid By: N/A	Date of Release: 10-05-1988	Time of Release: 8:20am

RECEIPT OF AGENT TAKING CUSTODY	
Received the above named prisoner, together with personal property and funds in the amount of \$ <i>211</i>	
Date: <i>10/5/88</i>	Signature: <i>[Signature]</i>
	Title: <i>Superintendent</i>
	Location: <i>SOCF Ohio</i>

Southern Ohio Correctional Facility Full term 02-21-2002  
Lucasville, OH 45699

SP-ADMIN 71

Rev. October 1980

## MEDICAL RECORD OF FEDERAL PRISONER IN TRANSIT

I. Name: COLEMAN, ALTON No. 93135-024  
 Departed From: USP. MARION, IL 62959 On: OCT 5, 1988  
Name of Institution Date  
 II. Destination STATE OF OHIO  
Name of Institution  
 VI. Reason for Transfer: NON MEDICAL  
 V. Major Diagnosis: SEE BELOW  
 VI. Medication for Care Enroute: NONE  
 VII. Special Instructions: ROUTINE

PHOTOGRAPH

## III. Work Classification:

☒ Regular ☐ Food Service Qualified ☐ Restrictions (explain) \_\_\_\_\_

## Recreation Classification:

☒ Regular ☐ Restrictions (explain) \_\_\_\_\_

## Housing

☒ Regular ☐ Other \_\_\_\_\_

*Terry T. Finnegan*  
 TERRY T. FINNEGAN, M.D.  
 Certifying Medical Staff Member

## PROGRESS NOTES ENROUTE

Date	Time	Institution	Symptoms, Findings, Medications, Treatment, Orders, etc.
			<b>MAJOR DIAGNOSIS:</b> 1. PROBABLE MIXED PERSONALITY DISORDER WITH ANTI-SOCIAL, NARCISSISTIC, AND OBSSIVE FEATURES. 2. UNDESCENDED RIGHT TESTICLE
			ORIGINAL - Transporting Officer PINK COPY - To be placed in Unit Health Record, top page in position one BLUE COPY - To be retained at the Transferring Institution as Backup

INSTRUCTIONS: Original, shall be delivered to Officer in Charge of shipment, who will carry them on a clip board for ready reference and turn them over to the receiving medical personnel at holdover institutions, where they shall serve in lieu of other medical forms. Carbon copy to be packed with prisoner's individual medical file. Bus Drivers will pick up originals from medical department at each holdover institution when shipment is ready to proceed and eventually deliver them to the medical staff at receiving institution. For all medical transactions enroute, attach additional copies as necessary.

7-12



RECEIVED

UNITED STATES MARSHAL

05 JUN 24 09:14

IN THE UNITED STATES DISTRICT COURT  
FOR THE SOUTHERN DISTRICT OF OHIO  
WESTERN DIVISION

KENNE

JUN 2 1 27 PM '85

U.S. DISTRICT COURT  
SOUTHERN DISTRICT OF OHIO

UNITED STATES OF AMERICA,  
SOUTHERN OHIO

Plaintiff,

vs.

ALTON COLEMAN,  
DEBRA DENISE BROWN,

Defendants.

Case No. CR 3-84-062

RECEIVED  
JUN 24 3 48 PM '85  
DAYTON  
SOUTHERN  
DISTRICT OF OHIO

It having come to this Court's attention that, as of June 25, 1985, all sentences against Defendants Coleman and Brown will have been imposed in Hamilton County, Ohio,

IT IS HEREBY ORDERED that the Defendants Coleman and Brown be returned to Federal Custody and be transported from Hamilton County, Ohio, by the United States Marshal to the appropriate Federal Facility on or shortly after July 1, 1985.

IT IS FURTHERMORE ORDERED, over objection, that the request of Hamilton County, Ohio, to reserve the right to request that custody of Defendants Coleman and Brown be returned to the State of Ohio for execution of sentence at some future date be granted.

I certify that this is a true and correct copy of the original filed in my Office on June 21, 1985.

KENNETH J. MURPHY, CLERK

BY: Nancy Fulk  
Deputy Clerk

DATE: June 21, 1985

Walter H. Rice  
WALTER H. RICE  
United States District Judge

U.S. Department of Justice  
Federal Bureau of Prisons

In-Transit Inform

INSTITUTION the United States Penitentiary, Marion, Illinois	DATE October 3, 1988
NAME (Last, First, Middle) COLEMAN, Alton	REGISTER NUMBER 93135-024

CUSTODY/SECURITY PRECAUTIONS:

Max 6 In \_\_\_\_\_ Out \_\_\_\_\_ Community \_\_\_\_\_ YCA: Yes \_\_\_\_\_ No X  
If yes, may require special housing.

Escape History: Yes \_\_\_\_\_ No X

If Yes, Describe when, what circumstances.

Information received indicated the Coleman had bed sheets tied together in an apparent attempt to escape from MCC Chicago.

Violence/Assault History: Yes X No \_\_\_\_\_

If yes, Describe when, what circumstances.

Instant Offense-Kidnapping  
1974 Armed Robbery, Kidnapping, Rape  
1976 Battery

DEATH PENALTY from the State of  
Ohio for Murder

List any non-routine security needs:

This individual is extremely DANGEROUS and violent. Use MAXIMUM restraints at all times during movement.

CENTRAL INMATE MONITORING CASE INFORMATION

YES X If yes, ASSIGNMENT Separation, Broad Publicity

No \_\_\_\_\_

If SEPARATION, list Name and Reg. No. of separatess. Check SENTRY for locations:

Benbow, John 38153-066  
Bracey, Larry 02573-045

Harris, Thomas 40255-061

*None of these three  
men are in Ohio State  
Prison custody*

REMARKS (Include any social history or other pertinent information which might be useful to the transporting officer or prisoner holding facility.):

This individual committed a string of murders, beatings, and robberies across six midwestern states during 1984. Coleman has pending death penalty sentences in Illinois, Ohio, and Indiana. He is considered extremely dangerous and has nothing to lose. He is considered to be an extreme escape risk because of this. Extreme caution and vigilance should be exercised during transportation.

NEAREST RELATIVE OF INMATE  
Terri Coleman, Sister

CITY AND STATE OF RELATIVE  
Waukegan, Illinois

*Scott Klinging*  
Scott Klinging

Title: Case Manager

Date: October 3, 1988

(Prepared by)

Transporting Officer

*John Morris*  
(Name)

*State of Ohio Dept. of Corrections*  
(Agency)

INSTRUCTIONS: Copies of this form, BP-5.1, and BP-Admin-71 must be furnished to the officer in charge of shipment, for his/her enroute. Additionally, the officer in charge must leave a copy at each holding institution. The information on this form is provided for the purpose of determining necessary care, custody and control of the inmate, and is not intended to establish constraints inconsistent with the policy or rules of the transporting officer or prisoner holding facility.

White - Original

Citation  
7/19/96 CINC-ENQ B02  
7/19/96 Cin. Enquirer B02  
1996 WL 2250758

Found Document

Rank 1 of 1

Database  
CINC-ENQ

The Cincinnati Enquirer  
Copyright 1996

Friday, July 19, 1996

Metro

### AROUND THE TRISTATE News Tips:

Call 24 hours a day to reach our recorded News Tip Hot Line: 768-8602. If it's urgent, press zero when the recording begins, and you will be connected with an editor between 8:30 a.m. and midnight.

OHIO

Ceremony promotes police

The Cincinnati Police Division honored its own Thursday in a promotion ceremony for five officers and five employees.

Three officers have become sergeants: Glenn Cox of Delhi Township, Robert Liston of North Bend and Carolyn Williams of Winton Hills.

Two officers - Charles Dukes of Springfield Township and John Morgan of Anderson Township - were promoted to specialist.

Other promotions include: Mary Deonier to supervising clerk, Terri Cipriani to clerk typist III, Linda Huhn to clerk typist III, Carla Smoot to operator dispatcher and Larry Arnold to assistant operator dispatcher.

Director search funded

The Hamilton County Community Health Board on Thursday approved spending up to \$45,000 to conduct a search for a new executive director. The former director, Mary Fleming, left in June amid an investigation by state and county officials into the board's spending. The investigation continues.

Child left in store

DELHI TOWNSHIP

7/19/96 CINC-ENQ B02

It started as a shoplifting case when employees at a Thriftway in Delhi Township spotted a couple leaving the store without paying for shrimp, cigarettes and videotapes about 5:30 p.m. Wednesday.

But the pair left a 5-year-old behind.

The child's mother, Carrie Offutt, 26, of the 2500 block of Talbott Avenue in Westwood, returned 30 minutes later to pick up her son. She is charged with robbery and child endangering.

Mom adds to charges

A Cumminsville mother who was being interviewed by police Wednesday for allegedly abusing her daughter faces more charges after an alleged outburst in which police say she threw a chair into a wall in an interview room.

Stacey Whitby, 27, of the 1900 block of Millvale Court is charged with child endangering and criminal damaging.

Police say she burned her 6-year-old daughter on the lower back five times with a cigarette. At her arraignment Thursday in Hamilton County Municipal Court, Ms. Whitby pleaded no contest to the criminal damaging charge, saying, "I just kicked the chair because I'm being charged with something I didn't do."

Children found in filth

A 26-year-old West End mother faces criminal charges after authorities found her children living in filthy conditions.

Police went into Patricia Price's York Street apartment Wednesday on a domestic violence warrant accusing her of spraying Mace into the face of Robert Carter Jr.

Inside, police found five children, ages 9 months to 7 years, in a mice- and roach-ridden apartment with no electricity, and water leaking from the bathroom.

The trash-filled apartment had maggots and mice droppings in pans on the stove, an open steel-blade fan on the floor near toddlers and open stairs to the basement, police said. They also recovered marijuana from Ms. Price's bedroom.

Ms. Price is charged with domestic violence, drug abuse and five counts of child endangering. She pleaded not guilty at her arraignment Thursday in Hamilton County Municipal Court, claiming she was trying to relocate to a shelter.

7/19/96 CINC-ENQ B02

Noise test rescheduled

A side-by-side comparison of community and airport noise monitors that was scheduled for this weekend has been postponed. The comparison was intended to explain why the community monitor is picking up higher airplane noise levels over western Hamilton County.

County Commissioner John Dowlin said the test will probably take place in early August at a cost of about \$9,000 - a fee for a specialist to analyze the results.

Talks with 2nd planner

Disappointed with the price of urban planner Cooper, Robertson & Partners, Hamilton County and Cincinnati have opened negotiations with a second firm to advise on stadium sites. The firm is Toronto-based Berridge, Lewinberg, Greenberg, Dark, Gabor Limited.

County Administrator David Krings said Cooper, Robertson "wanted a ton of money" for a study that was supposed to be capped at \$200,000. The firm is reconsidering, though, and Mr. Krings said city and county staffs are negotiating with both.

INDIANA

80-minute execution

MICHIGAN CITY

Prison officials learned two months ago that death row inmate Tommie Smith had unusually small veins that might be a problem with administering a lethal injection.

With Mr. Smith strapped to a gurney, refusing sedation and awaiting execution, prison technicians struggled for 15 minutes early Thursday before a medical doctor stepped in to insert a needle into an artery.

The doctor, who was not identified, needed 25 minutes more to complete the insertion.

Mr. Smith, 42, condemned in the slaying of a police officer, was pronounced dead at 1:23 a.m., nearly 80 minutes after the procedure began and almost twice as long as an estimate offered by Indiana State Prison officials who later said the estimate was mistaken.

7/19/96 CINC-ENQ B02

TABULAR OR GRAPHIC MATERIAL SET FORTH IN THIS DOCUMENT IS NOT DISPLAYABLE

The Associated Press Mark Davis; Caption: Rafting down the avenue: Gabe Stok, 16, rafts down 85th Avenue near his home in Shererville, Ind., after 5 inches of rain caused flash flooding in north-central Indiana on Thursday.

---- INDEX REFERENCES ----

KEY WORDS: POLICE; LOCAL; CHILDREN; ROBBERY; CHILDREN; ABUSE; AIRPORTS  
LOCAL; NOISE; REDS; BENGALS; EXECUTION

EDITION: EAST

Word Count: 787  
7/19/96 CINC-ENQ B02  
END OF DOCUMENT



Citation  
7/25/96 CINC-ENQ C07  
7/25/96 Cin. Enquirer C07  
1996 WL 2251548

Found Document

Rank 1 of 1

Database  
CINC-ENQ

The Cincinnati Enquirer  
Copyright 1996

Thursday, July 25, 1996

Metro

Lawyer assails injection as cruel Killer's execution took over an hour  
The Associated Press

The lethal injection execution of Tommie Smith was "cruel and unusual punishment" and a brutish end to the convicted killer's life, an appeals lawyer says.

"The fact that they did it in a sterile white operating room makes it no less barbaric than electrocution or beheading him or whatever the hell else they want to do," defense attorney Mark Earnest said this week.

Mr. Smith was convicted of murdering an Indianapolis police officer in 1980 and was executed July 18 at the state prison in Michigan City. He was buried Tuesday afternoon in Marion with about 100 friends and relatives in attendance.

Mr. Earnest says he is considering unspecified legal action after witnessing at least five unsuccessful attempts to inject deadly chemicals into Mr. Smith's body.

Mr. Earnest obtained permission from Mr. Smith's family to photograph the wounds on Mr. Smith's body caused by what he described as "repulsive" medical procedures.

He said he intends to turn over the photographs to colleagues in Indianapolis and Chicago who specialize in constitutional law. Mr. Earnest said he hopes the execution will help people see that "the death penalty in any form is cruel and unusual."

Those procedures included cutting back the skin on his chest in an effort to insert a needle into an artery, and similar failed attempts to inject Mr. Smith's neck and groin area.

The execution began at 12:04 a.m. Mr. Smith was pronounced dead at 1:23 a.m.

Madison County Prosecutor Rodney Cummings, who was not involved in the case, said the complications in Mr. Smith's

Copr. © West 1998 No Claim to Orig. U.S. Govt. Works

EXHIBIT

33

7/25/96 CINC-ENQ C07

execution were unfortunate, but he defended lethal injections.

"They're probably still more humane than electrocution," he said, referring to the state's previous method of execution.

Many of those at the funeral said Mr. Smith had found God during his 15 years on death row.

---- INDEX REFERENCES ----

KEY WORDS: EXECUTION

EDITION: TRIS

Word Count: 301  
7/25/96 CINC-ENQ C07  
END OF DOCUMENT

ME 83-88  
3/15/88  
9:00 A.M.

POSTMORTEM EXAMINATION  
OF THE BODY OF  
WILLIE JASPER DARDEN, JR.

The body is that of a well developed well nourished middle aged Black man measuring 71" in length. It is fully clad in a white short sleeve shirt, black trousers, undershorts and white socks. Right trouser leg is rolled up past the knee to reveal an incompletely circumferential rectangular burn measuring 6 x 7 1/2". The shaven scalp is the site of a 6 x 7" burn ring with a 2" width. Both burns are quite similar with focal skin slippage, dark brown to black discoloration and increased firmness in underlying and surrounding tissues. No other recent injuries are seen on front or back of body. The oral cavity is free of trauma or obstruction. Scalp, calvarium and base of skull are intact. There is a slight gray brown discoloration of the dura mater overlying the cerebral convexities. The underlying brain is firm, warmer than remaining body tissues and weighs 1225 g. Cerebral hemispheres are symmetrical and have a normal gyral configuration. Arteries of the circle of Willis are normally distributed and free of notable congenital anomaly. Multiple cuts through brain and upper cervical spinal cord reveal no other abnormalities. Oral cavity is free of trauma or obstruction. The neck organ block is free of trauma or obstruction. Thyroid has symmetrical lobes of normal size. The thoracic cage is intact. The pleural, pericardial and peritoneal spaces are free of exudate, blood or adhesion. The heart weighs 500 g. Epicardial surface is smooth and glistening with a moderate subepicardial

EXHIBIT

34

WILLIE DARDEN

ME 83-11

fat deposit. Coronary arteries are normally distributed and have a moderate degree of arteriosclerotic narrowing (30 - 50%) in proximal courses of their distribution. Distally, all three vessels are adequately patent. Myocardium is homogeneous red-brown without evidence of recent or remote infarct. Valves and endocardial surfaces are unremarkable. The aorta has only slight arteriosclerosis throughout its length and vessels originating therefrom are adequately patent in proximal courses of their distribution. The right and left lungs weigh 460 and 440 g. respectively. There is a moderate anthracotic pigment deposit in visceral pleural and centrilobular sectioned surfaces. The lung parenchyma is uniformly congested with moderate increase in firmness and decrease in crepitation and blood cozes from sectioned lung surfaces. No antemortem diseases or injuries are identified in either lung or in mediastinal structures. The esophagus is unremarkable. Stomach contains about 2 oz of cloudy tan fluid. The gastric mucosa is unremarkable. Small bowel is unremarkable. The vermiform appendix is present. The large bowel is unremarkable. The liver weighs 2000 g. Capsular surface is smooth and glistening. sectioned surface is uniform red-brown without accentuation of nodular pattern or nutmeg pattern. Hepatic parenchyma has a normal firm consistency. The gallbladder contains several ml. of golden-brown bile. The extrahepatic biliary tree is patent. The spleen weighs 100 g. Capsule is wrinkled and gray, sectioned surface is red-purple. Splenic parenchyma has a normal firm consistency. Right and left adrenal glands are unremarkable. The combined weight of right and left kidneys is 330

WILLIAM J. HAMILTON

ME 83-11

5. Cortical surfaces are smooth. Cortices and medullae have normal thicknesses and are clearly demarcated. The renal vessels, pelvocalyceal systems and ureters are unremarkable. Urinary bladder contains about an ounce of straw colored urine. The prostate is mildly enlarged and has a multi-nodular translucent tan sectioned surface. Internal genitalia are normal male. The musculoskeletal system is intact.

#### AUTOPSY FINDINGS

1. ANNULAR BURN OF FRONTOPARIETAL SCALP AND RECTANGULAR BURN OF RIGHT LEG AT KNEE LEVEL.
2. PULMONARY CONGESTION.
3. CORONARY ARTERIOSCLEROSIS, MODERATE.
4. MYOCARDIAL HYPERTROPHY (HEART WEIGHT 500 G.).
5. NODULAR HYPERPLASIA OF PROSTATE.

PROBABLE CAUSE OF DEATH: ELECTROCUTION.


*W. F. Hamilton*  
WILLIAM F. HAMILTON, M.D.

WFH/all(K)

OFFICE OF THE MEDICAL EXAMINER  
315 S.W. Fourth Avenue, Suite 200  
Gainesville, Florida 32602-4292

ME-5733

BODY DIAGRAM



Decedent's Height 71 inches

Name W. H. e. Darden

Examined By W. H. e. Darden


By W. H. e. Darden




BODY DIAGRAM-HEAD

Burn  
Annulus  
6" x 7"  
2" x 3"

Right



Left



Decedent's Name

Willie Jasper DINTON

Examined

ME 03-55  
1/15/03  
15/03

Date

# Laboratory Report

Client: DARDEN WILLIE

846

202091018 0

Doctor : WILLIAM HAMILTON M.D. - M.E. WILLIAM HAMILTON M.D. - M.E. REC 03/15/88  
 Hosp # : ME-83-88 EIGHTH DIST. MEDICAL EXAMINE REP 04/18/88 9:14A  
 Room # : LAB 0.1 815 S.W. 4TH AVENUE RTE  
 SPC TYP: MIXED GAINSVILLE FL 32601  
 Age/Sex: 54/M COLL : 03/15/88 3:39 PM

## COMPREHENSIVE TOX STUDIES

## THRESHOLD LIMITS

AN EXTENSIVE TOXICOLOGICAL STUDY WAS PERFORMED BY  
 MULTIPLE METHODS ON MULTIPLE SAMPLES WITH THE  
 RESULTS AS LISTED:

METHADONE	Negative	300 NG/ML
COCAINE (BENZYLECgonINE)	Negative	300 NG/ML
THC (CANNABINOIDS)	POSITIVE	100 NG/ML
POSITIVE IN THE URINE		
NEGATIVE IN THE BLOOD		
SYMPATHOMIMETIC AMINES	Negative	300 NG/ML
BARBITURATES	Negative	300 NG/ML
BENZODIAZEPINES	Negative	300 NG/ML
OPIATES	Negative	300 NG/ML
PROPOXYPHENE	Negative	300 NG/ML
ADONE	Negative	300 NG/ML
CHLORIDINE	Negative	75 NG/ML
MEPROBATE	Negative	
PHENOTHIAZINES	Negative	
ETHYLECHLORVHAL (PLACIDYL)	Negative	
GLUTETHIMIDE	Negative	
BLOOD VOLATILES	Negative	
SALICYLATES	Negative	
ACETAMINOPHEN	Negative	
SYNTHETIC NARCOTICS	Negative	
ANTIDEPRESSANTS	Negative	
ANTIHISTAMINE	Negative	

FINAL REPORT OF TOXICOLOGY SCREEN

CERTIFYING SCIENTIST David Long

CANNABINOIDS #0960

TEST BY NMS. CDC 837-1046

RESULTS, DELTA 9 CARBOXY THC (MAJOR THC - MARIJUANA - METABOLITE):  
46 NANOGRAMS/ML URINE

82 ABOVE TEST FROM PATHOLOGISTS' SERVICE P.A., TUCKER, GA. 82



DOCTORS &  
PHYSICIANS  
LABORATORY

ME 128-90  
8/4/90  
9:45 A.M.POSTMORTEM EXAMINATION  
OF THE BODY OF  
JESSE JOSEPH TAFFRO

The body is that of a well developed well nourished slender adult white man measuring 70" in length and appearing the stated age of 43 years. It is clad in a long sleeve light blue shirt, navy blue trousers and a white sock is present on the right foot. The left foot is bare. An identification label is attached to the great toe of the left foot. The scalp has been shaved and there is a 5 x 4" zone of burnt skin on the top of the head extending from right superior parietal, to right and left frontal and left temporal regions of scalp. A second burn is present on the posterior aspect of the right leg. The leg burn is incompletely circumferential, extending over a 4 1/2" length of the leg and about the circumference for a distance of 7 1/2". In addition to burn injuries, there are superficial small blunt force injuries including two small knuckle lacerations on 4th and 5th digits of right hand, two oval scrapes of skin on the posterior aspect of the right leg slightly above the knee and an irregularly polygonal 5/8" x 3/8" mark on the left cheek with a parchment-like consistency. Eyebrows and eyelashes are singed. A faint linear imprint extends across a 8" length of the face including the lower portion of the right cheek, upper lip and lower portion of the left cheek. Two short linear imprints are noted on the anterior aspect of the right leg above the ankle. A small skin tag is noted on the medial aspect of the left buttock. No other recent or remote injuries are noted on external.

EXHIBIT

35

JESSE JOSEPH TATENO

X2 114-47

examination of front or back of the body. The oral cavity is free of trauma or obstruction. Scalp burn extends full thickness. Skull cap and base are intact. No heat epidural hematomas are identified. Brain weighs 1310 g. Cerebral hemispheres are symmetrical and have normal gyral configurations. The meningeal vessels are congested. Arteries of the circle of Willis are normally distributed and free of notable congenital anomaly or atheromatous deposit. Multiple cuts through brain and upper cervical spinal cord reveal no other abnormalities. Neck organ block is free of trauma or obstruction. The thyroid is symmetrical sized and normal color. Pleural, pericardial and peritoneal spaces are free of blood exudate or adhesion. The heart weighs 140 g. The epicardial surface is smooth and glistening. Coronary arteries are normally distributed and widely patent. The myocardium is homogeneous red-brown. Valves and endocardial surfaces are unremarkable. Cardiac chambers and great vessels are filled with unclotted blood. Right and left lungs weigh 480 and 425 g. respectively. There is a modest anthracotic pigment deposit on visceral pleural and sectioned lung surfaces. Lung parenchyma is uniformly and mildly increased in firmness and decreased in crepitation and blood oozes from sectioned parenchyma. No tumors, granulomata or foci of consolidation or foci of emphysematous destruction. Mediastinal lymph nodes are mildly anthracotic but otherwise unremarkable. The esophagus is unremarkable. The stomach contains about 2 oz. of sticky mucoid fluid. The remainder of the alimentary canal is unremarkable. The vermiform appendix is present. The large

JESS JOSEPH TATERO

ME 126-40

bowel is unremarkable. The liver weighs 1760 g. The capsular surfaces are smooth and glistening, sectioned surface is uniform red-brown. Hepatic parenchyma has a normal firm consistency. The gallbladder contains several ml. of golden-brown bile. The extrahepatic biliary tree is patent. The pancreas is unremarkable. The spleen weighs 173 g. The capsular surface is wrinkled and gray, sectioned surface is uniform dark red-purple. Splenic parenchyma has a normal firm consistency. Right and left adrenal glands are unremarkable. Right and left kidneys have a combined weight of 280 g. Cortical surfaces are smooth, cortices and medullae have normal thicknesses and are clearly demarcated. Renal vessels, pelvocalyceal systems and ureters are unremarkable. Urinary bladder is contracted containing less than an ounce of straw colored urine. The prostate is unremarkable. Musculoskeletal system is intact.

#### AUTOPSY FINDINGS

1. ELECTRICAL BURNS OF SHAVEN SCALP AND RIGHT LEG.
2. SMALL LACERATIONS ON FOURTH AND FIFTH DIGITS OF RIGHT HAND. SUPERFICIAL SCRAPER ON POSTERIOR ASPECT OF RIGHT LEG AND IRREGULAR IMPRINT ON LEFT CHEEK.
3. STRAP MARKS ON FACE AND RIGHT LEG.
4. PULMONARY CONGESTION.

PROBABLE CAUSE OF DEATH: ELECTROCUTION.

*W. F. Hamilton, M.D.*  
WILLIAM F. HAMILTON, M.D.

WFH:all(X)

OFFICE OF THE MEDICAL EXAMINER

224 S.W. 3 STREET


GAINESVILLE, FLORIDA 32601

ME-126-90

BODY DIAGRAM

Front

Back



Decedent's

70

DATE OF DEATH  
10/1/1977

JESSIE TAFERO




OFFICE OF THE MEDICAL EXAMINER  
324 S.W. 3 Street  
GAINESVILLE, FLORIDA 32601


ME-126-90

BODY DIAGRAM-HEAD

Right



5' 8" - 6' 0"  
70 - 75 lbs  
7' 0" - 7' 5"  
1 - 126 - 90



7' 0" - 7' 5"  
70 - 75 lbs

Decedent's Name Jessie TA FERRO  
Examined

( 1441: TAFERO JESSIE 244 \*2372332  
 SECTION: HAMILTON HAMILTON, WILLIAM M.D. - M.E. REC 03/08/92  
 DATE: EIGHTH DIST. MEDICAL EXAMINE REC 03/10/92 \*1272  
 TYPE: LAB #: ME-124-92 224 S.W. 5TH STREET ATE:  
 SPEC TYPE: MIXED GAINESVILLE FL 32601  
 SUB-CLASS: 1274 CELL: 03/24/92 342A

THREES-LE 14173

**SECRET**

320 NG/ML  
300 NG/ML  
100 NG/ML  
1200 NG/ML  
300 NG/ML  
320 NG/ML  
300 NG/ML  
300 NG/ML  
320 NG/ML  
32 NG/ML

EXPLOSIVE SCIENTIST TH

ME 20-89  
1/24/89  
8:38 A.M.POSTMORTEM EXAMINATION  
OF THE BODY OF  
THEODORE ROBERT BUNDY

The body is that of a well developed well nourished slender white man measuring 71" in length and appearing the stated age of 42 years. It is clad in long sleeve blue shirt, navy blue trousers with the right leg rolled up to knee level and white boxer shorts. Tissues are warm and there is no discernible rigidity in major muscle groups of arms or left leg. There is rigidity of muscles above and below the right knee. Lividity of faint violaceous hue is noted on posterior surfaces of the body. There is a burn ring encircling the top of the shaven head and a rectangular burn on the back of the right leg extending from skin of popliteal fossa to lower calf. Incompletely circumferential linear imprints about 2" wide are noted on front and sides of right and left ankles. A faint horizontally oriented broad linear imprint extends across mouth, chin and both jaw regions of the face. Burn ring of the scalp has maximal cross sectional diameters of 6 1/2 x 5 1/2". The ring has a width of 1 to 1 1/2" with multiple foci of skin slippage associated with faint yellow tan discoloration and a hyperemic rim. Rivulets of salted deposits extend down the parieto-occipital regions of the head terminating at a level with the inferior tip of the ear lobe. The burn on the posterior aspect of the right leg is roughly rectangular in shape measuring 7 x 6". Multiple foci of skin slippage in the burnt zone are associated with zones of faint yellow-tan skin and a hyperemic burn border. Calvarium and skull

base are intact. A faint red-brown discoloration of about  $1 \times \frac{3}{4}$ " to  $2 \times 1 \frac{1}{2}$ " is noted centrally in dura overlying the cerebral hemispheres. A distinct heat epidural hematoma is not identified. The brain weighs 1600 g. Cerebral hemispheres are symmetrical with slight narrowing of sulci and flattening of gyri. The brain tissues are not appreciably warmer than other internal organs. Multiple coronal cuts through brain and upper cervical spinal cord reveal no other abnormalities. The arteries of the circle of Willis are normally distributed and free of notable congenital anomaly or atheromatous deposit. The neck organ block is free of trauma or obstruction. The thyroid has symmetrical lobes of normal size. The pericardial, pleural and peritoneal spaces are free of fluid, blood or adhesion. The heart weighs 420 g. Epicardial surface is smooth and glistening. The coronary arteries are normally distributed and adequately patent. A focal 30% narrowing of arterial lumen is noted proximally in the anterior descending branch of the left coronary artery. The myocardium is homogeneous red-brown without evidence of recent or remote infarct. Valves and endocardial surfaces are unremarkable. The great vessels entering and leaving the heart are unremarkable. The right and left lungs weigh 310 and 275 g. respectively. Lung substance is uniformly crepitant and light pink. No antemortem injuries or disease processes are identified in either lung or mediastinal structures. Esophagus is unremarkable. Stomach contains about an ounce of sticky clear fluid. Gastric mucosa is unremarkable. Small bowel is unremarkable. Vermiform appendix is present. Large bowel is unremarkable. The

liver weighs 1840 g. The capsular surface is smooth and glistening, sectioned surface is uniform red-brown. The hepatic parenchyma has a normal firm consistency. Gallbladder contains several ml. of golden-brown bile. The Extrahepatic biliary tree is patent. The pancreas is unremarkable. Spleen weighs 180 g. Capsular surface has a few small hyaline thickenings. Sectioned splenic substance is uniform red-brown with a normal firm consistency. Right and left adrenal glands are unremarkable. The combined weight of the kidneys is 325 g. Cortical surfaces are smooth. Cortices and medullae have normal thicknesses are clearly demarcated. Renal vessels, pelvocalyceal systems and ureters are unremarkable. Urinary bladder contains 12 oz. of straw colored urine. The prostate is unremarkable. The musculo-skeletal system is intact.

#### AUTOPSY FINDINGS

1. ELECTRICAL BURN ANNULUS OF SCALP.
2. RECTANGULAR BURN OF CALF REGION, RIGHT LEG.
3. LINEAR IMPRINTS (STRAP MARKS) ON LOWER FACE AND ANKLES.

PROBABLE CAUSE OF DEATH: ELECTROCUTION.


*William F. Hamilton M.D.*  
 WILLIAM F. HAMILTON, M.D.

WFH/ali(P)

OFFICE OF THE MEDICAL EXAMINER  
224 S.W. 5 STREET  
GAINESVILLE, FLORIDA 32601

ME-20-89

BODY DIAGRAM




Decedent's Height 70 inches

Name Thomas Brady  
Examined 1/1 11:11 AM 1/5/89 Date 24-1-89  
By [Signature]


OFFICE OF THE MEDICAL EXAMINER  
224 S.W. 5 STREET  
GAINESVILLE, FLORIDA 32601

ME-20-89

BODY DIAGRAM-HEAD



Front



Back

Decedent's Name

Charles Brandy




OFFICE OF THE MEDICAL EXAMINER  
224 S.W. 5 STREET  
GAINESVILLE, FLORIDA 32601

ME-20-89


BODY DIAGRAM-HEAD

Right



Brown  
Eyes  
5'10" x 150 lbs  
1/2 inch

Left



Right side of face  
of skull shows  
no teeth

Decedent's Name Theresa Bundy  
Examined 11/11/89

169  
100R

## Laboratory Report

Patient: BUNDY, THEODORE

846

803078698 0

Doctor : HAMILTON, WILLIAM M.D. - M.E. HAMILTON, WILLIAM M.D. - M.E. REC 01/24/89

Hosp # : ME2089

EIGHTH DIST. MEDICAL EXAMINE REP 01/26/89 2:48P

Room # :

LAB # :

224 S.W. 5TH STREET

RTE UNK

SPC TYPE: MIXED

GAINESVILLE FL 32601

Age/Sex: /M

COLL : 01/24/89 2:04 PM

## COMPREHENSIVE TOX STUDIES

## THRESHOLD LIMITS

AN EXTENSIVE TOXICOLOGICAL STUDY WAS PERFORMED BY  
MULTIPLE METHODS ON MULTIPLE SAMPLES WITH THE  
RESULTS AS LISTED:

METHADUALONE	Negative	300 NG/ML
COCAINE (BENZOYLECGONINE)	Negative	300 NG/ML
THC (CANNABINIDS)	Negative	100 NG/ML
SYMPATHOMIMETIC AMINES	Negative	1000 NG/ML
BARBITURATES	Negative	300 NG/ML
BENZODIAZEPINES	Negative	300 NG/ML
OPIATES	Negative	300 NG/ML
PROPOXYPHENE	Negative	300 NG/ML
METHAIONE	Negative	300 NG/ML
PHENCYCLIDINE	Negative	25 NG/ML
MEPROBAMATE	Negative	
PHENOTHIAZINES	Negative	
ETHYLCHLORVTHAL (PLACIDYL)	Negative	
GLUTETHIMIDE	Negative	
BLOOD VOLATILES	Negative	
SALICYLATES	Negative	
ACETAMINOPHEN	Negative	
SYNTHETIC NARCOTICS	Negative	
ANTIDEPRESSANTS	Negative	
ANTIHISTAMINE	Negative	
OTHER	Negative	

FINAL REPORT OF TOXICOLOGY SCREEN.

CERTIFYING SCIENTIST J. T. Tatum

*Reviewed*  
*1 FEB 89*  
*Walt*

DOCTORS &  
PHYSICIANS  
LABORATORY

ME 344-88  
11/8-88  
9:00 A.M.

POSTMORTEM EXAMINATION  
OF THE BODY OF  
JEFFERY JOSEPH DAUGHERTY

The body is that of a mildly obese young adult white man measuring 71" in length. It is clad in a long sleeve white shirt, black pin striped trousers and 1 white sock on the right foot. The left foot is unshod and a manila identification label is attached to the great toe. The right trouser leg is rolled up beyond knee level and the left trouser leg is rolled up to mid-calf. A string encircling the neck has two paper rectangles attached. On one appears the following legend "Whoever dies wearing this scapular shall not suffer eternal fire." The second paper pendant has a drawing of Madonna and child with a Priest or a Monk-like figure with the underliving legend "Our Lady of Mt. Carmel." On the left forearm there is a tattoo of a rose with surrounding leaves, scroll and the name Debra. On posterior aspect of the right leg centered at knee level there is a 5 x 4" rectangular burn with yellow-brown central discoloration, focally erythematous rim and a parchment-like consistency. Skin slippage is focally present in this region. On the top of the head there is a burn ring annulus of 7" diameter. The width of the ring is 2". Toward the center of the annulus the scalp is dark brown to tan quite firm with notable skin slippage. Toward the outer margins of the burn ring scalp is reddish-pink. Pronounced lividity of violaceous hue is present on the posterior dependent surfaces of the body. Rigidity is well established in all major muscle groups and the body is cool to the touch. No other

JEFFERY JOSEPH DAUGHERTY

ME 344-32

significant recent or remote injuries are noted on external surfaces of the body. The abdominal fat pad has a 5.5 cm. (about 2") thickness. The pericardial, pleural and peritoneal spaces are free of blood, exudate or adhesion. The heart weighs 450 g. The epicardial surface is smooth and glistening. The coronary arteries are normally distributed and generally widely patent. There is however a focal 90% narrowing by firm yellow-white atheromatous material in the proximal portion of the anterior descending branch of the left coronary artery. Left main arterial trunk and circumflex branches are widely patent as is the right coronary artery. The myocardium is homogeneous red-brown without evidence of recent or remote infarct. The cardiac chambers are distended by clotted and unclotted blood. The valves and endocardial surfaces are unremarkable. Great vessels entering and leaving the heart are unremarkable. Right and left lungs weigh 310 and 490 g. respectively. There is notable post mortem hypostasis. Lung substance is uniformly and moderately increased in firmness and decreased in crepittance. Blood oozes from congested sectioned surfaces. No antemortem disease processes or injuries are identified in lungs or in mediastinal structures. The esophagus is unremarkable. The stomach contains about 6 oz. of tan to brown liquid. Alimentary mucosa is autolyzed. The vermiform appendix is present. The large bowel contains a moderate quantity of pasty green-brown stool. The liver weighs 3575 g. Capsular and sectioned surfaces are pale reddish-tan and hepatic parenchyma crumbles easily with manual compression. The gallbladder contains several ml. of golden-

JEFFERY JOSEPH DAUGHERTY

ME 344-88

brown bile. The extrahepatic biliary tree is patent. The pancreas has a moderate fatty ingrowth. Sectioned surfaces are autolyzed but otherwise unremarkable. The spleen weighs 210 g. The capsular surface is wrinkled and gray, sectioned surface is dark red-purple and slightly softer than usual. The right and left adrenal glands are mildly autolyzed but otherwise unremarkable. The right and left kidneys have a combined weight of 325 g. The cortical surfaces are smooth. Cortices and medullae have normal thicknesses and are clearly demarcated. Renal vessels, pelvocalyceal systems and ureters are unremarkable. Urinary bladder contains about 2 oz. of straw colored urine. The prostate is unremarkable. The musculoskeletal system is intact. Burn ring of scalp has been previously described. Calvarium and skull base are intact. The dura overlying cerebral convexities is focally discolored light tan to brown. No distinct dural hematoma is identified. The brain weighs 1400 g. The cerebral hemispheres are symmetrical and have normal gyral configurations. Arteries of the circle of Willis are normally distributed and free of notable congenital anomaly or atheromatous deposit. Multiple cuts through brain and upper cervical spinal cord reveal no other abnormalities.

JEFFERY JOSEPH DAUGHERTY

ME 344-88

**AUTOPSY FINDINGS**

1. BURN RING OF SHAVEN SCALP.
2. RECTANGULAR BURN ON SKIN OF POPLITEAL FOSSA.
3. PULMONARY CONGESTION.
4. FOCAL CORONARY ARTERIOSCLEROSIS. WITH MARKED NARROWING OF ANTERIOR DESCENDING BRANCH OF LEFT CORONARY ARTERY.
5. OBESITY. MILD.
6. FATTY LIVER.

PROBABLE CAUSE OF DEATH: ELECTROCUTION.


  
WILLIAM F. HAMILTON. M.D.

WFF/211/01

OFFICE OF THE MEDICAL EXAMINER  
815 S.W. Fourth Avenue, Suite Two  
Gainesville, Florida 32601-6298

ME-344-88

BODY DIAGRAM



Decedent's Height 71 inches


Name Jerry Douglas  
Examined 11/1/88



OFFICE OF THE MEDICAL EXAMINER  
224 S.W. 3 Street  
GAINESVILLE, FLORIDA 32601


BODY DIAGRAM-HEAD

Right



Boon 2000  
7" 114.  
2" 27 5 8  
4 10.

Left



Decedent's Name JOSEPH, JOSEPH DAUGHTER

**LABORATORY REPORT**

Patient: DAUGHERTY, JEFFERY

846

202805812 0

Doctor : HAMILTON  
 Hosp # : ME-344-88  
 Room # : - LAB # :  
 SPC TYP: MIXED  
 Age/Sex: 33/M

WILLIAM HAMILTON M.D. - M.E. REC 11/08/88  
 EIGHTH DIST. MEDICAL EXAMINE REP 11/09/88 1:53P  
 815 S.W. 4TH AVENUE RTE UNK  
 GAINESVILLE FL 32601

COLL : 11/08/88 6:48 PM

**COMPREHENSIVE TOX STUDIES****THRESHOLD LIMITS**

AN EXTENSIVE TOXICOLOGICAL STUDY WAS PERFORMED BY  
 MULTIPLE METHODS ON MULTIPLE SAMPLES WITH THE  
 RESULTS AS LISTED:

METHADUALONE	-Negative	300 NG/ML
COCAINE (BENZOYLECGONINE)	Negative	300 NG/ML
THC (CANNABINIDS)	Negative	100 NG/ML
SYMPATHOMIMETIC AMINES	Negative	1000 NG/ML
BARBITURATES	Negative	300 NG/ML
BENZODIAZEPINES	Negative	300 NG/ML
OPIATES	Negative	300 NG/ML
PROPOXYPHENE	Negative	300 NG/ML
METHADONE	Negative	300 NG/ML
PHENCYCLIDINE	Negative	25 NG/ML
MEPRORAMATE	Negative	
PHENOTHIAZINES	Negative	
ETHYLCHLORVYNAL (PLACIDYL)	Negative	
GLUTETHIMIDE	Negative	
BLOOD VOLATILES	Negative	
SALICYLATES	Negative	
ACETAMINOPHEN	Negative	
SYNTHETIC NARCOTICS	Negative	
ANTIIEPRESSANTS	POSITIVE	
POSITIVE AMITRIPTYLINE AND NORTRIPTYLINE IN THE BLOOD		
ANTIHISTAMINE	Negative	
OTHER	Negative	

FINAL REPORT OF TOXICOLOGY SCREEN.  
 CERTIFYING SCIENTIST J. T. [Signature]

1000000000  
 1000000000

VI 99-86

5/21/86

9:10 A.M.

**POSTMORTEM EXAMINATION  
OF THE BODY OF  
RONALD JOSEPH MICHAEL STRAIGHT**

The body is that of a slender adult white man measuring 71" in length. He is clad in short sleeve white shirt, boxer shorts and one white sock which is present on the left foot. A vanilla identification label is attached to the great toe of the right foot. An additional white sock is received with the body but not on the right foot. Postmortem rigidity of marked intensity is present in major muscle groups. The body is quite cool. Lividity is well established, violaceous and posteriorly distributed. Tattoos adorn right and left forearms and left side of neck. Tattoos are reproduced in a diagram accompanying this report. A few irregular small scars are noted on forearms and an obliquely oriented linear scar 3" in length is seen in the skin of the right lower abdominal quadrant. Scalp is clean shaven. A burn ring with maximal diameters of 7 and 1 1/2" completely encircles the top of the head. The width of the burn ring averages 2". Elongate rivulets of salty deposits extend down right and left sides of face from the inferior margins of the thermal annulus. An incompletely circumferential burn centered over popliteal fossa extends over an 8" length of the right leg. A 10" partial circumference of the leg is involved in the burnt zone. Tissues involved in scalp and leg burns are quite firm, gray-brown and have associated peripheral skin slippage and erythema. Dura immediately underlying the scalp burn ring has a 3 X 3" zone of extradural blood accumulation a thin layer of 1 to 2 mm. thickness. Leptomeningeal vessels are congested. Brain weighs 1475 g. Cerebral hemispheres are symmetrical and have normal configurations. The arteries of the circle of Willis are normally distributed and widely patent. No berry aneurysms or arteriovenous malformations are

EXHIBIT

38

RONALD STRAIGHT

-2-

ME 96-66

identified in brain vessels. Multiple cuts through brain and upper cervical spinal cord reveal no other abnormalities. Oral cavity and neck organ block are free of trauma or obstruction. Thyroid has symmetrical lobes of normal size. Pleural, pericardial and peritoneal spaces are free of accumulations of blood, fluid or adhesion. Heart weighs 350 g. Coronary arteries are normally distributed and widely patent. Epicardial surface is smooth and glistening. Myocardium is homogeneous red-brown and has a normal firm consistency. Valves and endocardial surfaces are unremarkable. Cardiac chambers are filled with clotted and unclotted blood. Great vessels entering and leaving the heart are normally distributed. Right and left lungs weigh 920 and 700 g. respectively. There is marked posterior hypostasis in both lungs. Lung substance is uniformly and moderately increased in firmness and decreased in crepittance. Sectioned surfaces are sanguinous pink fluid. Tracheobronchial tree is unremarkable. No tumors, granulomata or foci of consolidation are encountered in either lung. Esophagus is unremarkable. Stomach contains about 2 oz. of tan to brown liquid and finely divided food particles. Gastric mucosa is unremarkable. Small bowel is unremarkable. Vermiform appendix is absent. Large bowel contains pasty green-brown stool. The liver weighs 1830 g. Capsular surface is smooth and glistening, sectioned surface is red-brown without attenuation of nodular pattern or nutmeg pattern. Hepatic parenchyma has a normal firm consistency. Gallbladder contains several ml. of golden-brown bile. The extrahepatic biliary tree is patent. Lymph nodes of the porta hepatis are enlarged and have pale tan sectioned surfaces. The pancreas is unremarkable. The spleen weighs 280 g. Its capsular surface is smooth and gray, sectioned surface is dark red-purple. Spleen has a normal firm consistency. Right and left adrenal glands are unremarkable. Combined weight of right and left kidneys is 300 g. Cortical surfaces are smooth. Cortices and medullae have normal thicknesses and are clearly demarcated. Renal vessels, urogenital system and ureters are unremarkable.

FONALD STRAIGHT

-3-

ME 99-86

Urinary bladder contains 3 oz. of straw colored urine. Prostate is mildly enlarged and has a nodular sectioned surface. Internal genitalia are normal size. Musculoskeletal system is intact.

AUTOPSY FINDINGS

1. INTERNAL OPEN WOUNDS OF TOP OF HEAD AND INCOMPLETELY CIRCUMFERENTIAL SCALP OF RIGHT LIP.
2. PULMONARY CONGESTION AND EDEMA.
3. TYPICAL ABSENCE OF VENTIFORM APERTURE, REMOTE.


PROBABLE CAUSE OF DEATH: ELECTROCUTION.

*Wm F Hamilton*  
WILLIAM F. HAMILTON, M.D.

OFFICE OF THE MEDICAL EXAMINER  
615 S.W. Fourth Avenue, Suite Two  
Gainesville, Florida 32601-6298

ME 99-86


BODY DIAGRAM



Decedent's Height 71 inches

Name Ronald STRAIGHT

BODY DIAGRAM—HEAD



ROUND STRAIGHT



**PAGE**

FEA, 77-24  
AGE 27 SEX M  
STRAIGHT, RONALD  
WD, URINE

AREA	ROUTE	COMMENTS
------	-------	----------

URGENT - TESTS: QUAL. DEPT. 150514Z

REFRAG: ADULT: IF ADULT: FOR AGE(\*)/SEX(\*). OTHERWISE: IF ADULT: IF SEX IS NOT GIVEN, ADULT MALE. NORMAL RANGES ARE PRINTED.

ME 114-89  
8/4/89  
1:00 P.M.POSTMORTEM EXAMINATION  
OF THE BODY OF  
AUBREY ADAMS

The body is that of a well developed well nourished young adult white man measuring 69" in length. It is clad in white boxer style undershorts and white socks. No identification label is attached to the body. Rigidity of moderate degree is present in major muscle groups and lividity of violaceous hue is well established on posterior dependent surfaces of the body. An obliquely oriented 4" linear scar is noted in the skin of the right lower abdominal quadrant. No other old injuries are noted on the body. A rubber band 1 1/4" in width encircles the right leg above the ankle. There are two electrical burns on the body including a circular burn ring on the top of the head and a rectangular burn on the back of the right leg at knee level. Hair has been completely shaven from the scalp. The burn at the top of the head is round with a 6" diameter and has a uniform 1/2" width. Within the ring, scalp has a dark grayish-purple appearance whereas the ring is firm, finely gran or tan and has focal skin slippage. Skin immediately external to the ring is hyperemic red to purple. Burn to the back of the leg is centered on the right popliteal fossa and extends over a 4 1/2" length of the leg and about an 8" portion of the legs circumference at knee level. There is focal skin slippage, increased firmness, gray-tan discoloration and a reddish-purple surrounding skin. No other recent or remote injuries are noted on external surfaces of front of back of body. The oral cavity is free of trauma or

EXHIBIT

39

obstruction. The scalp, calvarium and skull base are intact. There is an elongate 4 X 1 1/2" zone of dark red-brown discoloration to the dura mater overlying the sagittal sinus and immediately beneath the center of the scalp burn ring. The brain weighs 1475 g. Cerebral hemispheres are symmetrical and have normal gyral configurations. There is slight congestion of leptomeningeal vessels over cerebral convexities. Arteries of the circle of Willis are normally distributed and free of notable congenital anomaly. Multiple cuts through brain and upper cervical spinal cord reveal no other abnormalities. The neck organ block is free of trauma or obstruction. The thyroid has symmetrical lobes of normal size. Pleural, pericardial and peritoneal spaces are free of significant accumulations of fluid, exudate or adhesion. The heart weighs 430 g. The epicardial surfaces are smooth and glistening. The coronary arteries are normally distributed and widely patent. The myocardium is homogeneous red-brown. Valves and endocardial surfaces are unremarkable. The cardiac chambers are distended by unclotted blood. Great vessels entering and leaving the heart are unremarkable. The right and left lungs weigh 310 and 460 g. respectively. Lung substance is uniformly and mildly increased in firmness and decreased in crepitation. Sectioned surfaces are purple-pink without foci of consolidation, tumors or granulomata. Mediastinal lymph nodes are unremarkable. The esophagus is unremarkable. The stomach contains 30 oz. of well masticated tan foodstuffs. Alimentary mucosa is mildly autolyzed. The vermiform appendix is present. The large bowel is unremarkable.

The liver weighs 2240 g. Capsular surface is smooth and glistening, sectioned surface uniform red-brown. Hepatic parenchyma has a normal firm consistency. Gallbladder contains several ml. of golden-brown bile. The extrahepatic biliary tree is patent. The pancreas is unremarkable. The spleen weighs 230 g. Capsular surface is wrinkled and gray, sectioned surface is uniform red-brown. Splenic parenchyma has a normal firm consistency. Right and left adrenal glands are unremarkable. The right and left kidneys have a combined weight of 400 g. The cortical surfaces are smooth with incidental fetal lobulations. Cortices and medullae have normal thicknesses and are clearly demarcated. Renal vessels, pelvocalyceal systems and ureters are unremarkable. The urinary bladder contains about 4 oz. of straw colored urine. The prostate is unremarkable. The musculoskeletal system is intact.

#### AUTOPSY FINDINGS

1. BURN RING ON SHAVEN SCALP.
2. RECTANGULAR BURN TO BACK OF RIGHT LEG.
3. PULMONARY CONGESTION.

PROBABLE CAUSE OF DEATH: ELECTROCUTION.


*W. F. Hamilton*  
WILLIAM F. HAMILTON, M.D.

WPH/all(R)

GAINESVILLE, FLORIDA 32601

BODY DIAGRAM

112-117-51




Decedent's Height 5'9 inches

Name Richard Adams  
Examined By 11/15/71 Date 4/1/59

OFFICE OF THE MEDICAL EXAMINER  
815 S.W. 4th Avenue, Suite 82  
Gainesville, Florida 32601-6298


171 E-114-51

BODY DIAGRAM-HEAD



from 1106.

Front



Back


OFFICE OF THE MEDICAL EXAMINER

224 S.W. 5 Street

GAINESVILLE, FLORIDA 32601

ME-114-89

BODY DIAGRAM-HEAD



Decedent's Name Adrian Adams

Examined

Aug 11 2002 4:00 PM



# Laboratory Report

Client: ADAMS, AUBREY

846

203527318 0

101 Top : HAMILTON, WILLIAM M.D. - M.E. HAMILTON, WILLIAM M.D. - M.E. REC 05/04/89  
 102 Hosp # : ME-114-89 EIGHTH DIST. MEDICAL EXAMINE REP 05/05/89 11:26P  
 103 Room # : LAB # : 224 S.W. 5TH STREET RTE 1  
 104 SPC TYP: MIXED GAINSVILLE FL 32601  
 105 Age/Sex: 31/M COLL : 05/04/89 100PM Releas  
 106

## COMPREHENSIVE TOX STUDIES

## THRESHOLD LIMITS

AN EXTENSIVE TOXICOLOGICAL STUDY WAS PERFORMED BY  
 MULTIPLE METHODS ON MULTIPLE SAMPLES WITH THE  
 RESULTS AS LISTED:

METHAQUALONE	Negative	300 NG/ML
COCAINE (BENZOYLECGONINE)	Negative	300 NG/ML
THC (CANNABINOIDS)	Negative	100 NG/ML
AMPHETAMINES	Negative	1000 NG/ML
BARBITURATES	Negative	300 NG/ML
BENZODIAZEPINES	Negative	300 NG/ML
OPIATES	Negative	300 NG/ML
PROPOXYPHENE	Negative	300 NG/ML
METHADONE	Negative	300 NG/ML
PHENCYCLIDINE	Negative	25 NG/ML
MEPROBAMATE	Negative	
PHENOTHIAZINES	Negative	
LYCHLORVYAL (PLACIDYL)	Negative	
ETHIMIDE	Negative	
LOW VOLATILES	Negative	
SALICYLATES	Negative	
ACETAMINOPHEN	Negative	
SYNTHETIC NARCOTICS	Negative	
ANTIDEPRESSANTS	Negative	
ANTIHISTAMINE	Negative	
OTHER	Negative	

FINAL REPORT OF TOXICOLOGY SCREEN

CERTIFYING SCIENTIST W. H. [Signature]

DOCTORS &  
 PHYSICIANS  
 LABORATORY